

Equipment Located at: 7123 Market Place
Cincinnati, Ohio 45216

Auction Date: December 19, 2024

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
1	1	SALE STARTS AT LOT 47	57	1	14" X 33" GOODWAY MODEL GW-1433
47	1	90 GALLON CAPACITY JUSTRITE MODEL SURE-GRIP EX ACID AND CORROSIVE SAFETY STORAGE CABINET			GEARED HEAD ENGINE LATHE; S/N 65050 (NEW 3-1978), 3-PHASE, 220/440 VOLT
48	1	90 GALLON CAPACITY JUSTRITE MODEL SURE-GRIP EX ACID AND CORROSIVE SAFETY STORAGE CABINET	58	1	LARSON SYSTEMS, INC. MODEL FLASH 25 COMPRESSION TESTING MACHINE; S/N 4865021215, 6,000 LB. WHISPER DRIVE, 2,000 LB. LOAD CELL, 24" STROKE, 12" DIAMETER PLATFORMS, FLASH TOUCH SCREEN TECHNOLOGY
49	1	54 GALLON CAPACITY JUSTRITE MODEL SURE-GRIP EX ACID AND CORROSIVE SAFETY STORAGE CABINET	59	1	VISUAL THERMOFORMING TYPE CT1824 SKIN PACKAGING VACUUM FORM MACHINE; S/N 2711, 220 VOLTS, 3-PHASE
50	1	60 GALLON CAPACITY SECURALL MODEL A160 FLAMMABLE LIQUIDS SAFETY STORAGE CABINET	60	1	BTM CORP MODEL P5HX3 PNEUMATIC TOG-L-LOCK SHEET METAL JOINING MACHINE; S/N N/A
51	1	60 GALLON CAPACITY SECURALL MODEL A160 FLAMMABLE LIQUIDS SAFETY STORAGE CABINET	61	1	BRY-AIR MODEL MINIPAC 175 BRAND NEW DEHUMIDIFIER; S/N 2020E10846
52	1	60 GALLON CAPACITY SECURALL MODEL A160 FLAMMABLE LIQUIDS SAFETY STORAGE CABINET	62	1	250 AMP MILLER MODEL BOBCAT 250 CC/CV AC/DC WELDER, 10,000 WATT GENERATOR; S/N LF346701(1,004 HOURS SHOWING 11-19-24), WITH HEAVY DUTY STEEL CART WITH VISE, CORD REEL
53	1	12 GALLON CAPACITY JUSTRITE MODEL 25710 FLAMMABLE LIQUID STORAGE CABINET	63	1	250 AMP MILLER MODEL MILLERMATIC 250 CV/DC ARC WELDING POWER SOURCE WITH BUILT IN WIRE FEEDER; S/N KD546275, WITH MILLER MIG GUN AND LEADS
54	1	12 GALLON CAPACITY JUSTRITE MODEL 25710 FLAMMABLE LIQUID STORAGE CABINET	64	1	500 AMP MILLER MODEL SYNCROWAVE 500 AC/DC GAS TUNGSTEN-ARC OR SHIELDED METAL ARC WELDING POWER SOURCE; S/N KA761684
55	1	18-1/2" X 34-1/2" X 22" HIGH GLOBAL CORROSIVE SAFETY STORAGE CABINET	65	1	350 AMP MILLER SYNCROWAVE 350 CONSTANT CURRENT AC/DC ARC/TIG WELDING POWER SOURCE; S/N KA766414, WITH MILLER RADIATOR 1 COOLING SYSTEM
56	1	40 TON CAPACITY SCOTCHMAN MODEL 4014-TM HYDRAULIC IRONWORKER; S/N 8218K400, 6-STATION REVOLVING TURRET, 4" THROAT DEPTH, 3" X 3" X 5/16" ANGLE SHEAR CAPACITY AND 2" X 2" X 1/4" SHEAR CAPACITY AT 45 DEGREES, 8" BRAKE ATTACHMENT, 3-PHASE, 230/460 VOLTS			

Equipment Located at: 7123 Market Place
Cincinnati, Ohio 45216

Auction Date: December 19, 2024

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
66	1	450 AMP MILLER MODEL DELTAWELD 452 CV/DC WELDING POWER SOURCE; S/N LH040203C	75	1	OTC DAIHEN SINGLE-ROBOT FOUR-STATION ROBOTIC WELD CELL INCLUDING; s/n N/A (NEW 2010), (4) 24" X 24" WELDING AREAS, PLC CONTROL, (1) OTC DAIHEN MODEL NV6L SIX-AXIS ROBOTIC WELDER; s/n 1L10535YZ5082905 (NEW 2010), OTC DAIHEN MODEL AX21 ROBOT CONTROLLER; s/n L21411YZ5068605, WITH PENDANT (NEW 2010), (1) OTC DAIHEN MODEL DM-350 WELDING POWER SOURCE; s/n P3001YP7713011 (NEW 2010) - Came from Japanese automotive plant, was in use until 4/2024 - (3) Pcs. total Main Unit
67	1	450 AMP MILLER MODEL DELTAWELD 452 CV/DC WELDING POWER SOURCE; S/N LH200089C			Approx. Dimensions Main: 125" x 100" x 108" High x 10,000 Lbs., approx. Dimensions 2nd booth: 100" x 84" x 96" High x 5,000 Lbs. Approx. Dimensions Auxiliary: 48" x 44" x 86" High x 3,000 Lbs.
68	1	250 AMP MILLER MODEL SYNCROWAVE 250 CC/AC/DC WELDING POWER SOURCE; S/N LA135640	76	1	OTC DAIHEN SINGLE-ROBOT TWO-STATION ROBOTIC WELDING CELL ORIGINALLY BUILT 2007 - UPGRADED IN 2020 INCLUDING; s/n 1M0293YZ374, (2) 24" X 25" WELDING AREAS, PLC, (1) OTC DAIHEN MODEL NB6 SIX-AXIS ROBOTIC WELDER; s/n 1L11700YZ5696902 (NEW 2020), OTC DAIHEN MODEL FD11-UV0000 ROBOT CONTROLLER; s/n L21710YZ561821020, WITH PENDANT (NEW 2020), (1) OTC DAIHEN MODEL WELBEE M350 WELDING POWER SOURCE; s/n P30201YP3353005, ALMEGA TORCH CLEAN KIT, LIGHT CURTAINS, SKID MOUNTED - Came from Japanese automotive plant, was in use until 4/2024 - Approx. Dimensions 148" x 90" x 108" High x 10,000 Lbs.
69	1	250 AMP MILLER MODEL DIALARC 250 AC/DC CC/AC/DC ARC WELDING POWER SOURCE; S/N LG050223C, WITH STAND AND LEADS			
70	1	180 AMP MILLER MODEL SYNCROWAVE 180SD CC/AC/DC SYNCROWAVE TIG WELDING POWER SOURCE WITH LEADS; S/N LC087839			
71	1	LINCOLN ELECTRIC MODEL LN-10 WIRE FEEDER			
72	1	LINCOLN ELECTRIC MODEL LN-10 WIRE FEEDER			
73	1	SKID MISCELLANEOUS WELDING SUPPLIES AND PARTS			
74	1	FANUC MODEL ARCMATE 120iC10L WELDING ROBOT; S/N R14100085 (NEW 1-2014), WITH FANUC ARCMATE 120iC WELDING POWER SUPPLY, FANUC ARCMATE 120iB WELDING POWER SUPPLY, FANUC SYSTEM R-J3iC, (4) HAND HELD CONTROL PENDANTS, ELECTRICAL CABLES AND WELDING LEADS			

Equipment Located at: 7123 Market Place
Cincinnati, Ohio 45216

Auction Date: December 19, 2024

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
76A	1	UNITED AIR SPECIALIST MODEL SFC4-2 FOUR CATRIDGE DUST COLLECTOR (NEW 2007)	87	1	TRION MODEL T-5200 AIR BOSS ELECTROSTATIC AIR CLEANER; S/N N/A, 11,000 IONIZER, 5,500 COLLECTOR
77	1	100 KVA PROGRESSIVE SPOT WELDER; S/N 69J04 (NEW 10-13-69)	88	1	TRION MODEL T-5200N AIR BOSS ELECTROSTATIC AIR CLEANER; S/N T5200N-13-00158, 11,000 IONIZER, 5,500 COLLECTOR
78	1	38 KVA TECNA MODEL 3327A PORTABLE SPOT WELDING GUN; S/N 01082 (NEW 2008), 440 VOLTS, SINGLE PHASE, 12" THROAT, 110 KVA MAX WELDING POWER	89	1	100 HP DOOSAN MODEL D100 ROTARY SCREW CABINET TYPE AIR COMPRESSOR; S/N 700094KJAFJ11 (NEW 2022), 3-PHASE, 460 VOLTS, HOURS N/A
79	1	53 KVA TECNA MODEL 3156 PORTABLE SPOT WELDING GUN; S/N 8266 (NEW 2006), 440 VOLTS, SINGLE PHASE, 28" THROAT, 147 KVA MAX WELDING POWER	90	1	100 HP QUINCY MODEL QGV-100 ROTARY SCREW CABINET STYLE AIR COMPRESSOR; S/N UTY302748, WITH SIEMENS SIMATIC PANEL TOUCH SCREEN CONTROL, HOURS N/A
80	1	53 KVA TECNA MODEL 3156 PORTABLE SPOT WELDING GUN; S/N 00302 (NEW 2006), 440 VOLTS, SINGLE PHASE, 28" THROAT, 147 KVA MAX WELDING POWER	91	1	20 HP INGERSOLL RAND MODEL RS15NW-A135 TOTAL AIR SYSTEM ROTARY SCREW CABINET STYLE AIR COMPRESSOR; S/N CBV662515, 460 VOLTS, 3-PHASE, HOURS N/A
81	1	AVANI MODEL WB-60576 GRINDING BOOTH WITH E-Z ARM FUME EXTRACTION SYSTEM; S/N 140901, 5 HP AVANI MODEL TMC-5-2 TOP MOUNTED FILTER SYSTEM	92	1	20 HP INGERSOLL RAND MODEL RS15NE-A135 TOTAL AIR SYSTEM ROTARY SCREW CABINET STYLE AIR COMPRESSOR; S/N CBV662514, 460 VOLT, 3-PHASE, HOURS N/A
82	1	BENCHTRON MODEL FILTER 1 DOWNDRAFT TABLE; S/N N/A	93	1	25 HP CHICAGO PNEUMATIC MODEL QRS25 ROTARY SCREW CABINET STYLE TAN MOUNTED AIR COMPRESSOR; S/N ITJ177018, WITH INTEGRATED AIR DRYER ES3000 DIGITAL CONTROLS (NEW 2018)
83	1	TRION MODEL T-5200 ELECTROSTATIC AIR CLEANER; S/N 5200N-13-00163, 11,000 IONIZER, 5,500 COLLECTOR	94	1	10 HP CHICAGO PNEUMATIC MODEL QRS10D ROTARY SCREW CABINET STYLE TANK MOUNTED AIR COMPRESSOR; S/N ITJ133113, WITH INTEGRATED REFRIGERANT AIR DRYER (NEW 2018), R134 REFRIGERANT, 3-PHASE, 230 VOLT
84	1	TRION MODEL T-5200 AIR BOSS ELECTROSTATIC AIR CLEANER; S/N T5200N-13-00165, 11,000 IONIZER, 5,500 COLLECTOR			**BRAND NEW - NEVER INSTALLED**
85	1	TRION MODEL T-5200 AIR BOSS ELECTROSTATIC AIR CLEANER; S/N T5200-13-00179, 11,000 IONIZER, 5,500 COLLECTOR			
86	1	TRION MODEL T-5200 AIR BOSS ELECTROSTATIC AIR CLEANER; S/N N/A, 11,000 IONIZER, 5,500 COLLECTOR			

Equipment Located at: 7123 Market Place
Cincinnati, Ohio 45216

Auction Date: December 19, 2024

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
95	1	7.5 HP CHICAGO PNEUMATIC MODEL QRS7.5HPD ROTARY SCREW CABINET STYLE TANK MOUNTED AIR COMPRESSOR; S/N ITJ569847, WITH INTEGRATED REFRIGERANT AIR DRYER (NEW 2021), R513A REFRIGERANT, 230 VOLT, 3-PHASE, 4,645 HOURS SHOWING 11-20-24	106	1	AKG MFG. NO. 110452000 USED RADIATOR
			107	1	USED PRESSURE VESSEL TANK
			108	1	BEKO MODEL DP RAX1500-NA-RB REFRIGERATED AIR DRYER; S/N WCH1004220, R404A REFRIGERANT, 230 VOLT, 3-PHASE
96	1	15 HP QUINCY MODEL QR-370 TWO-STAGE TANK MOUNTED AIR COMPRESSOR; S/N UTY717312 (NEW 1-17-2023), 3-PHASE, 230/460 VOLT	109	1	BEKO MODEL DP RAX1500-NA-RB REFRIGERATED AIR DRYER; S/N 150020239/15 (NEW 2015), REFRIGERANT R407C/194OZ, 3-PHASE, 460 VOLT
97	1	15 HP QUINCY MODEL QR-370 TWO-STAGE TANK MOUNTED AIR COMPRESSOR; S/N UTY717302 (NEW 1-12-2023), 3-PHASE, 230/460 VOLT	110	1	NANO MODEL NPC0118ULP3AXNF REFRIGERATED AIR DRYER; S/N 2200264589 (NEW 2015), R410A REFRIGERANT, 460 VOLT, 3-PHASE
97A	1	15 HP BALDOR CAT NO. EM2333T USED SUPER E MOTOR, 230/460 VOLT, 3-PHASE	111	1	MIKROPOR AMERICA, INC. MODEL MHL-DWG-1000 DUAL TANK DESICCANT AIR DRYER; S/N 2220MHL00007, ACTWATED ALUMINA DESICCANT TYPE, 1,186 LB. DESICCANT QUANTITY, 100-240 VOLT, SINGLE PHASE (NEW 2020)
98	1	30 HP LEROI MODEL W30SST TANK MOUNTED AIR COMPRESSOR; S/N 4240X361, 22,568.3 HOURS SHOWING 11-19-24			
99	1	7.5 HP QUINCY MODEL QSVB-7.5 SKID MOUNTED INDUSTRIAL VACUUM PUMP; S/N UN057366 (NEW 9-23-2005)	112	1	AIRTEK MODEL TW-100 TWIN TOWER HEATLESS DESICCANT AIR DRYER; S/N 98B-7849, 115 VOLT, SINGLE PHASE, 107 CAP SCFM
100	1	DEKKER MODEL RML051T2-40-CS DUAL PUMP SATURATED AIR SERVICE ROTARY VANE VACUUM PUMP SYSTEM; S/N 34437 (NEW 2-2020)	113	1	125 KW KOHLER MODEL 125REOZJB DIESEL POWER STANDBY GENERATOR; S/N 2088847, APPROX. 612 HOURS SHOWING, DECISION-MAKER 3+ 16-LIGHTCONTROLLER, JOHN DEERE MODEL 6068TF250 ENGINE, 240 GALLON FUEL TANK, SOUND ENCLOSURE, SQUARE D MANUAL TRANSFER SWITCH, KOHLER BATTERY CHARGER (NEW 2006) - REMOVED FROM THE DISTRIBUTION CENTER OF A BANKRUPT MAJOR RETAILER IN COLUMBUS, OHIO 10/2024
101	1	(LOT) MISCELLANEOUS QUINCY NEW AIR COMPRESSOR FILTERS AND FLOW CONTROLLERS			
102	1	TECUMSEH BRAND NEW REFRIGERANT TANK R-40A REFRIGERANT (NEW 10-22-22)			
103	1	2.6 KW / 3.4866 HP LEROY SOMER NEW ELECTRIC MOTOR			
104	1	50 HP MARATHON 10 HP WEG USED ELECTRIC MOTORS			
105	1	SKID USED ELECTRIC MOTORS			

Equipment Located at: 7123 Market Place
Cincinnati, Ohio 45216

Auction Date: December 19, 2024

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
114	1	30 KW KOHLER MODEL 30REOZJB DIESEL POWER STANDBY GENERATOR; S/N 2085194, APPROX. 501 HOURS SHOWING, DECISION-MAKER 3+ 16-LIGHTCONTROLLER, 2.9 LITER JOHN DEERE MODEL 3029TF150 ENGINE, FUEL TANK, SOUND ENCLOSURE, SQUARE D MANUAL TRANSFER SWITCH, KOHLER BATTERY CHARGER (NEW 2006) - REMOVED FROM THE DISTRIBUTION CENTER OF A BANKRUPT MAJOR RETAILER IN COLUMBUS, OHIO 10/2024	118	1	FARO GAGE TRIPOD MOUNT PORTABLE CMM ARM; S/N F04-B2-11-09533 (NEW 11-1-2011)
			119	1	FARO GAGE TRIPOD MOUNT PORTABLE CMM ARM; S/N P04-02-05-03562 (NEW 4-7-2005)
			120	1	5 TON KONE CRANE 10' SPAN SINGLE GIRDER BOTTOM RUNNING REMOTE AND PENDANT CONTROL CABLE BRIDGE CRANE; S/N 10922565 (NEW _____)
			121	1	5 TON KONE CRANE 10' SPAN SINGLE GIRDER BOTTOM RUNNING REMOTE AND PENDANT CONTROL CABLE BRIDGE CRANE; S/N 10922561 (NEW _____)
115	1	30 KW KOHLER MODEL 30REOZJB DIESEL POWER STANDBY GENERATOR; S/N 2085194, APPROX. 501 HOURS SHOWING, DECISION-MAKER 3+ 16-LIGHTCONTROLLER, 2.9 LITER JOHN DEERE MODEL 3029TF150 ENGINE, FUEL TANK, SOUND ENCLOSURE, SQUARE D MANUAL TRANSFER SWITCH, KOHLER BATTERY CHARGER (NEW 2006) - REMOVED FROM THE DISTRIBUTION CENTER OF A BANKRUPT MAJOR RETAILER IN COLUMBUS, OHIO 10/2024	122	1	5 TON KONE CRANE 10' SPAN SINGLE GIRDER BOTTOM RUNNING REMOTE AND PENDANT CONTROL CABLE BRIDGE CRANE; S/N 10922560 (NEW _____)
			123	1	****2015 Balemaster Model 4830GM-8 Auto-Tie Horizontal Hydraulic Baler; s/n 15321B, Approx. 1,300 Bales Showing, 48" x 30" x Variable Length Bale Size, 42" x 60" Infeed Opening, PLC Control, 8" Cylinder, 30-HP Motor, Model AT-1-48A Auto-Tie System, Approx. replacement cost today is \$175,000 (New 11/2015) - Baler was removed from the Distribution Center of a Bankrupt major retailer in Columbus, Ohio 10/2024 and is currently in storage in Springfield, Ohio
116	1	FARO MODEL 21000 QUANTUM S PORTABLE CMM ARM; S/N W40-S5-21-36325 (NEW 4-9-2021), WITH FARO TRIPOD STAND, PC, DONGLE AND FARO MODEL LLP HD LASER LINE PROBE; S/N LLPH62023110 (NEW 12-30-2020)			
117	1	FARO MODEL 21000 QUANTUM 3 PORTABLE CMM ARM; S/N W40-35-20-35671 (NEW 12-21-2020), WITH FARO TRIPOD STAND, PC, DONGLE AND FARO MODEL LLP HD LASER LINE PROBE; S/N LLPH61922555 (NEW 9-6-2019)			

Equipment Located at: 7123 Market Place
Cincinnati, Ohio 45216

Auction Date: December 19, 2024

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
124	1	****2004 AMERICAN BALER MODEL DC5043-830R AUTO-TIE HORIZONTAL HYDRAULIC BALER; S/N 8544804, 44" X 43" X VARIABLE LENGTH BALE SIZE, 1,200 LB. TO 1,600 LB. APPROX. BALE WEIGHT, 43" X 50" INFEED OPENING, PLC CONTROL, 8" BORE X 63" MAIN CYLINDER REBUILT 2024, 30-HP MOTOR (NEW 2004 - MAIN CYLINDER REBUILT IN 2024) - BALER WAS REMOVED FROM THE DISTRIBUTION CENTER OF A BANKRUPT MAJOR RETAILER IN COLUMBUS, OHIO 10/2024 AND IS CURRENTLY IN STORAGE IN SPRINGFIELD, OHIO*	129	1	36 VOLT TAYLOR-DUNN MODEL BO-248-36 ELECTRIC MAINTENANCE CART; S/N 185148, WITH BUILT IN CHARGER, 2,750 LB. LOAD CAPACITY, 41" X 75" DECK, HOURS N/A (NEW 5-2011)
			130	1	36 VOLT TAYLOR-DUNN MODEL B2-10 ELECTRIC MAINTENANCE CART; S/N 118682, WITH BUILT IN CHARGER, 2,400 LB. LOAD CAPACITY, 44" X 76" DECK
			131	1	36 VOLT E-Z-GO MODEL INDUSTRIAL 875E ELECTRIC MAINTENANCE CART; S/N UL25540, WITH BUILT IN CHARGER, 2,400 LB. LOAD CAPACITY, 44" X 68" DECK, HOURS N/A (NEW 1999)
125	1	****2002 American Baler Model 7242H-820R Auto-Tie Horizontal Hydraulic Baler s/n 83541102, 43" x 43" x Variable Length Bale Size, Up to 2,000 Lb. Approx. Bale Weight, 72" x 42" Infeed Opening, PLC Control, 20-HP Motor (New 2002) - Baler was removed from the Distribution Center of a Bankrupt major retailer in Columbus, Ohio 10/2024 and is currently in storage in Springfield, Ohio **LOCATED OFF-SITE**	132	1	24 VOLT COLUMBIA MODEL 1512-24 STAND UP ELECTRIC UTILITY VEHICLE; S/N 12SE2-3ZR0186, 1,200 LB. LOAD CAPACITY, 29" X 43" DECK
			133	1	36 VOLT E-Z-GO MODEL FREEDOM TXT GOLF CART STYLE PERSONNEL VEHICLE; S/N 2673601, WITH BUILT IN BATTERY CHARGER
			134	1	36 VOLT E-Z-GO MODEL TXT FREEDOM ELECTRIC GOLF CART STYLE PERSONNEL VEHICLE; S/N 309924, WITH BUILT IN CHARGER
126	1	GALBREATH MODEL VBIHD3060 VERTICAL HYDRAULIC BALER; S/N H1685	135	1	36 VOLT E-Z-GO MODEL TXTE ELECTRIC GOLF CART STYLE PERSONNEL VEHICLE; S/N 2404759, WITH BUILT IN CHARGER
127	1	12,000 LB. CAPACITY DROTT / CASE MODEL 3330 LP GAS HYDRAULIC CARRYDECK CRANE; S/N 6224722, 27' BOOM LENGTH, 2,157 HOURS SHOWING	136	1	48 VOLT E-Z-GO MODEL TXT48 ELECTRIC GOLF CART STYLE MAINTENANCE CART; S/N 2767657, WITH BUILT IN CHARGER AND 28" X 42" X 8" DEEP BED
128	1	36 VOLT TAYLOR-DUNN MODEL BO-210-36 ELECTRIC MAINTENANCE CART; S/N 202468, BUILT-IN CHARGER, 44" X 75" DECK, 2,400 LB. LOAD CAPACITY (NEW 6-2016), 3,020.2 HOURS SHOWING ON 11-21-24	137	1	36 VOLT E-Z-GO MODEL TXT ELECTRIC GOLF CART; S/N 2467798, WITH BUILT IN CHARGER

Equipment Located at: 7123 Market Place
Cincinnati, Ohio 45216

Auction Date: December 19, 2024

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
138	1	48 VOLT E-Z-GO MODEL RXV ELECTRIC GOLF CART STYLE PERSONNEL VEHICLE; S/N 5300566, WITH BUILT IN BATTERY CHARGER	145	1	3,500 LB. CAPACITY RAYMOND MODEL 4750C35 36 VOLT SOLID TIRE THREE-STAGE MAST SIT DOWN ELECTRIC FORKLIFT; S/N 475-22-16688, 873 HOURS SHOWING 11-22-24, 198" MAX LIFT HEIGHT, 87" MAST HEIGHT, SIDE SHIFT, 42" FORKS AND SET UP FOR CARTON CLAMP (NEW 2022)
139	1	36 VOLT E-Z-GO MODEL TXT ELECTRIC GOLF CART; S/N K2296/978247, WITH BUILT IN CHARGER **SPECIAL NOTICE - NEEDS (6) NEW BATTERIES**	146	1	3,500 LB. CAPACITY RAYMOND MODEL 4750C 36 VOLT SOLID TIRE THREE-STAGE MAST SIT DOWN ELECTRIC FORKLIFT; S/N 475-22-16673, 917 HOURS SHOWING 11-22-24, 198" MAX LIFT HEIGHT, 87" MAST HEIGHT, SIDE SHIFT, 42" FORKS AND SET UP FOR CARTON CLAMP (NEW 2022)
140	1	48 VOLT E-Z-GO MODEL TXTE ELECTRIC GOLF CART STYLE PERSONNEL VEHICLE; S/N 2777104 **SPECIAL NOTICE - THIS CART IS PARTS ONLY CART**	147	1	3,500 LB. CAPACITY RAYMOND MODEL 4750C35 36 VOLT SOLID TIRE THREE-STAGE MAST SIT DOWN ELECTRIC FORKLIFT; S/N 475-22-16645, 1,109 HOURS SHOWING 11-22-24, 198" MAX LIFT HEIGHT, 87" MAST HEIGHT, SIDE SHIFT, 42" FORKS AND SET UP FOR CARTON CLAMP (NEW 2022)
141	1	24 VOLT JUNGHEINRICH MODEL EJE120US ELECTRIC WALK BEHIND PALLET TRUCK; S/N 98302738, WITH BUILT IN CHARGER (NEW 2021)	148	1	3,500 LB. CAPACITY RAYMOND MODEL 4750C35 36 VOLT SOLID TIRE THREE-STAGE MAST SIT DOWN ELECTRIC FORKLIFT; S/N 475-22-16696, 1,204 HOURS SHOWING 11-22-24, 198" MAX LIFT HEIGHT, 87" MAST HEIGHT, SIDE SHIFT, 42" FORKS AND SET UP FOR CARTON CLAMP (NEW 2022)
142	1	24 VOLT JUNGHEINRICH MODEL EJE120US ELECTRIC WALK BEHIND PALLET TRUCK; S/N 98268818, WITH BUILT IN BATTERY CHARGER	149	1	3,500 LB. CAPACITY RAYMOND MODEL 4750C35 36 VOLT SOLID TIRE THREE-STAGE MAST SIT DOWN ELECTRIC FORKLIFT; S/N 475-22-16620, 632 HOURS SHOWING 11-22-24, 198" MAX LIFT HEIGHT, 87" MAST HEIGHT, SIDE SHIFT, SET UP FOR CARTON CLAMP (NEW 2022)
142A	1	****2,200 LB YALE MODEL MC10 ELECTRIC STACKER; S/N B860T01743V (NEW 2021) 24V ** LOCATION: OAKWOOD, GA 30566** **Subject To High Bid Confirmation**			
143	1	3,500 LB. CAPACITY RAYMOND MODEL 4750K35 36 VOLT SOLID TIRE THREE-STAGE MAST SIT DOWN ELECTRIC FORKLIFT; S/N 475-22-16665, 729 HOURS SHOWING 11-22-24, 198" MAX LIFT HEIGHT, 87" MAST HEIGHT, SIDE SHIFT, 42" FORKS AND SET UP FOR CARTON CLAMP (NEW 2022)			
144	1	3,500 LB. CAPACITY RAYMOND MODEL 4750C35 36 VOLT SOLID TIRE THREE-STAGE MAST SIT DOWN ELECTRIC FORKLIFT; S/N 475-22-16655, 850 HOURS SHOWING 11-22-24, 198" MAX LIFT HEIGHT, 87" MAST HEIGHT, SIDE SHIFT, 42" FORKS AND SET UP FOR CARTON CLAMP (NEW 2022)			

Equipment Located at: 7123 Market Place
Cincinnati, Ohio 45216

Auction Date: December 19, 2024

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
150	1	CASCADE MODEL 14J-CCB-2A-99923 FORKLIFT CARTON CLAMP ATTACHMENT; S/N PTL2842002-IRO (NEW 7-2022)	159	1	ENERSYS MODEL N1P3-IN-4Y NEXSYS + BATTERY CHARGER; S/N RW100425837, 12/18/24 NO CELLS, 3-PHASE, 480 VOLT
151	1	3,5000 LB. CAPACITY RAYMOND MODEL 4750C35 36 VOLT SOLID TIRE THREE-STAGE MAST SIT DOWN ELECTRIC FORKLIFT; S/N 475-22-16681, 650 HOURS SHOWING 11-22-24, 198" MAX LIFT HEIGHT, 87" MAST HEIGHT, SIDE SHIFT, SET UP FOR CARTON CLAMP ATTACHMENT (NEW 2022)	160	1	ENERSYS MODEL N1P3-JP-4Y NEXSYS + BATTERY CHARGER; S/N RW100425844
152	1	CASCADE MODEL 14J-CCB-2A-99923 LIFT TRUCK CARTON CLAMP ATTACHMENT; S/N PTL2842002-4RO (NEW 7-2022)	161	1	****2016 - 5,000 LB. TOYOTA MODEL 8FBCHU25 TREADED SOLID TIRE ELECTRIC LIFT TRUCK; S/N 62932, 94" 3-STAGE MAST, 218" LIFT HEIGHT, 48" FORK, SIDESHIFT, 7,890 KEY HOURS AND 5,972 LAP HOURS SHOWING, WITH 48 VOLT HAWKER PTO / MOD3 CHARGER (2016) - LOCATED AT SHELBY TWP., MICHIGAN, EMAIL JOHN@CIA-AUCTION.COM FOR INSPECTION AND REMOVAL
153	1	3,500 LB. CAPACITY RAYMOND MODEL 4750C35 36 VOLT SOLID TIRE THREE-STAGE MAST SIT DOWN ELECTRIC FORKLIFT; S/N 475-22-15580, 1,167 HOURS SHOWING 11-22-24, 198" MAX LIFT HEIGHT, 87" MAST HEIGHT, SIDE SHIFT, SET UP FOR CARTON CLAMP (NEW 2022)	162	1	****2016 - 5,000 LB. TOYOTA MODEL 8FBCHU25 TREADED SOLID TIRE ELECTRIC LIFT TRUCK; S/N 62935, 94" 3-STAGE MAST, 218" LIFT HEIGHT, 48" FORK, SIDESHIFT, 9,841 KEY HOURS AND 7,461 LAP HOURS SHOWING, WITH 48 VOLT ECO-TEC POWER HOURSE CHARGER (2016) - LOCATED AT SHELBY TWP., MICHIGAN, EMAIL JOHN@CIA-AUCTION.COM FOR INSPECTION AND REMOVAL
154	1	CASCADE MODEL 14J-CCB-2A-99923 LIFT TRUCK CARTON CLAMP ATTACHMENT; S/N PTL2842004-1RO (NEW 7-2022)	163	1	****2016 - 5,000 LB. TOYOTA MODEL 8FBCHU25 TREADED SOLID TIRE ELECTRIC LIFT TRUCK; S/N62188, 94" 3-STAGE MAST, 218" LIFT HEIGHT, NO FORK, SIDESHIFT, 10,027 KEY HOURS AND 2,785 LAP HOURS SHOWING, WITH 48 VOLT CONCENTRIC CHARGER (2016) - LOCATED AT SHELBY TWP., MICHIGAN, EMAIL JOHN@CIA-AUCTION.COM FOR INSPECTION AND REMOVAL
155	1	CASCADE MODEL R25D-CCS-35A REMANUFACTURED LIFT TRUCK CARTON CLAMP ATTACHMENT; S/N 2646485-TI (REMANUFACTURED 4-12-20)			
156	1	CASCADE MODEL 25D-CCS-35Q FORKLIFT CARTON CLAMP ATTACHMENT; S/N PTL1195846-2R4			
157	1	CASCADE MODEL 25D-CCB-1380 LIFT TRUCK CARTON CLAMP ATTACHMENT; S/N 182558-01			
158	1	CASCADE MODEL UNKNOWN FORKLIFT CARTON CLAMP ATTACHMENT; S/N N/A			

Equipment Located at: 7123 Market Place
Cincinnati, Ohio 45216

Auction Date: December 19, 2024

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
164	1	****2015 - 5,000 LB. TOYOTA MODEL 8FBCHU25 TREADED SOLID TIRE ELECTRIC LIFT TRUCK; S/N 62184, 94" 3-STAGE MAST, 218" LIFT HEIGHT, 48" FORK, SIDESHIFT, 10,807 KEY HOURS AND 5,684 LAP HOURS SHOWING, WITH HAWKER PTO / MOD3 48 VOLT CHARGER (NOTE THIS CHARGER NEW) (2015) - LOCATED AT SHELBY TWP., MICHIGAN, EMAIL JOHN@CIA-AUCTION.COM FOR INSPECTION AND REMOVAL	169	1	3,500 LB. CAPACITY RAYMOND MODEL 425-C35TT 36 VOLT STAND UP THREE-STAGE MAST ELECTRIC LIFT TRUCK; S/N 425-15-45288, 9,176 HOURS SHOWING 11-22-24, 193" MAX LIFT HEIGHT, 82" MAST HEIGHT, 42" FORKS, SIDE SHIFT (NEW 2015)
165	1	3,500 LB. CAPACITY RAYMOND MODEL 425-C35TT 36 VOLT STAND UP THREE-STAGE MAST ELECTRIC LIFT TRUCK; S/N 425-18-59293, 1,316 HOURS SHOWING 11-22-24, 193" MAX LIFT HEIGHT, 82" MAST HEIGHT, 42" FORKS, SIDE SHIFT, SET UP FOR PUSH / PULL ATTACHMENT (NEW 2018)	170	1	3,500 LB. RAYMOND MODEL 425-C35TT 36 VOLT STAND UP THREE-STAGE MAST ELECTRIC LIFT TRUCK; S/N 425-15-38147, 12,659 HOURS SHOWING 11-22-24, 193" MAX LIFT HEIGHT, 82" MAST HEIGHT, 42" FORKS, SIDE SHIFT (NEW 2015)
166	1	CASCADE MODEL 35E-QPB-Q002R2 FORKLIFT PUSH / PULL ATTACHMENT; S/N PTL505284-1R2	171	1	3,500 LB. RAYMOND MODEL 425-C35TT 36 VOLT STAND-UP THREE-STAGE MAST ELECTRIC LIFT TRUCK; S/N 425-15-45303, 13,523 HOURS SHOWING 11-22-24, 193" MAX LIFT HEIGHT, 82" MAST HEIGHT, 42" FORKS, SIDE SHIFT (NEW 2015)
167	1	3,500 LB. CAPACITY RAYMOND MODEL 425-C35TT 36 VOLT STAND UP THREE-STAGE MAST ELECTRIC LIFT TRUCK; S/N 425-21-72070, 2,271 HOURS SHOWING 11-22-24, 193" MAX LIFT HEIGHT, 82" MAST HEIGHT, 42" FORKS, SIDE SHIFT (NEW 2021)	172	1	3,500 LB. RAYMOND MODEL 425-C35TT 36 VOLT STAND UP THREE-STAGE MAST ELECTRIC LIFT TRUCK; S/N 425-15-45280, HOURS N/A, 193" MAX LIFT HEIGHT, 82" MAST HEIGHT, 42" FORKS, SIDE SHIFT (NEW 2015)
168	1	3,500 LB. CAPACITY RAYMOND MODEL 425-C35TT 36 VOLT STAND UP THREE-STAGE MAST ELECTRIC LIFT TRUCK; S/N 425-15-45282, 8,900 HOURS SHOWING 11-22-24, 193" MAST LIFT HEIGHT, 82" MAST HEIGHT, 42" FORKS, SIDE SHIFT (NEW 2015)	173	1	4,500 LB. CROWN MODEL FC4515-50 36 VOLT SIT DOWN THREE-STAGE MAST ELECTRIC FORKLIFT; S/N 9A168613, 5,708 HOURS SHOWING 11-22-24, 188" MAX LIFT HEIGHT, 82" MAST HEIGHT, 42" FORKS, SIDE SHIFT WITH V-FORCE 36 VOLT BATTERY CHARGER
			174	1	3,000 LB. CROWN MODEL SP3510-30 24 VOLT STAND UP THREE-STAGE ELECTRIC ORDER PICKER; S/N 1A459562, 9,751 HOURS SHOWING 11-22-24, 240" MAX LIFT HEIGHT, 108" MAST HEIGHT, 36" FORKS

Equipment Located at: 7123 Market Place
Cincinnati, Ohio 45216

Auction Date: December 19, 2024

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
175	1	****2017 - 16,000 LB. TAYLOR MODEL X160 DIESEL POWER PNEUMATIC TIRE FORKLIFT; S/N 41482, \$45K IN MAINTENANCE REPAIRS AT LEASE RETURN, 111" 2-STAGE MAST, 132" LIFT, 74" FORKS, FORK POSITIONING, ENCLOSED CAB, APPROX. 16,454 HOURS, CUMMINS MODEL QSF.3 DIESEL ENGINE, RATED AT 89KW, INDEPENDENT FORK POSITIONING, AIR BRAKES, 24,880 LB. TRUCK WEIGHT, CAN BE SHIPPED WITH MAST & FORKS ATTACHED TO TRUCK (NEW 2017) - LOCATED IN CAMBRIDGE, OHIO, EMAIL JOHN@CIA-AUCTION.COM FOR INSPECTION AND REMOVAL	191	1	6,000 LB. YALE MODEL GLP060TGEUAE087 LP GAS SOLID TIRE THREE-STAGE MAST FORKLIFT; S/N A875B188382, 4,002 HOURS SHOWING 11-22-24, 187.8" MAX LIFT HEIGHT, 84" MAST HEIGHT, SIDE SHIFT, 42" FORKS, 10,410 LB. TRUCK WEIGHT **SPECIAL NOTICE - NO LP TANK - PROPERTY OF CIA INDUSTRIAL**
176	1	****OFF-SITE FORKLIFTS	192	1	5,000 LB. YALE MODEL GLP050VXNDAAE084 LP GAS SOLID TIRE THREE-STAGE MAST FORKLIFT; S/N D875V04294N, 7,705 HOURS SHOWING 11-22-24, 189" MAX LIFT HEIGHT, 83" MAST HEIGHT, SIDE SHIFT, 42" FORKS, 9,050 LB. TRUCK WEIGHT **SPECIAL NOTICE - NO LP TANK - PROPERTY OF CIA INDUSTRIAL**
177	1	****OFF-SITE FORKLIFTS	193	1	OPEN
178	1	****OFF-SITE FORKLIFTS	194	1	****3,000 LB. TOYOTA MODEL 8FGU15 LP GAS SOLID PNEUMATIC TIRE LIFT TRUCK; S/N 61999, 83" 3-STAGE MAST, 189" LIFT HEIGHT, SIDE SHIFT, 47" FORKS, FULL CAB ENCLOSURE WITH ELECTRIC HEATER, 13,100 HOURS - LOCATED IN CAMBRIDGE, OHIO, EMAIL JOHN@CIA-AUCTION.COM FOR INSPECTION AND REMOVAL
179	1	****OFF-SITE FORKLIFTS	195	1	****3,000 LB. TOYOTA MODEL 8FGU15 LP GAS SOLID PNEUMATIC TIRE LIFT TRUCK; S/N 62207, 83" 3-STAGE MAST, 189" LIFT HEIGHT, SIDE SHIFT, 47" FORKS, FULL CAB ENCLOSURE WITH ELECTRIC HEATER, 13,624 HOURS - LOCATED IN CAMBRIDGE, OHIO, EMAIL JOHN@CIA-AUCTION.COM FOR INSPECTION AND REMOVAL
180	1	****OFF-SITE FORKLIFTS			
181	1	****OFF-SITE FORKLIFTS			
182	1	****OFF-SITE FORKLIFTS			
183	1	****OFF-SITE FORKLIFTS			
184	1	****OFF-SITE FORKLIFTS			
185	1	****OFF-SITE FORKLIFTS			
186	1	****OFF-SITE FORKLIFTS			
187	1	****OFF-SITE FORKLIFTS			
188	1	****OFF-SITE FORKLIFTS			
189	1	****OFF-SITE FORKLIFTS			
190	1	6,000 LB. HYSTER MODEL H60FT LP GAS PNEUMATIC TIRE THREE-STAGE MAST ENCLOSED CAB FORKLIFT; S/N P177V06396P, 1,250 HOURS SHOWING 11-22-24, 181.9" MAX LIFT HEIGHT, 86" MAST HEIGHT, SIDE SHIFT, FINGER TIP CONTROLS, 42" FORKS, TRUCK WEIGHT 10,430 LB. **SPECIAL NOTICE - NO LP TANK - PROPERTY OF CIA INDUSTRIAL**			

Equipment Located at: 7123 Market Place
Cincinnati, Ohio 45216

Auction Date: December 19, 2024

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
196	1	2016 - 6,000 LB. HYSTER MODEL S60FT FORTIS LP GAS CUSHION TIRE THREE-STAGE MAST FORKLIFT; S/N H187V06176P, 1,374 HOURS SHOWING 11-22-24, 1,819 MAX LIFT HEIGHT, 84" MAST HEIGHT, SIDE SHIFT, 42" FORKS, FINGER TIP CONTROLS, 10,240 LB. TRUCK WEIGHT **SPECIAL NOTICE - NO LP TANK - PROPERTY OF CIA INDUSTRIAL **	200	1	2016 - 6,000 LB. HYSTER MODEL S60FT FORTIS LP GAS CUSHION TIRE THREE-STAGE MAST FORKLIFT; S/N H187V06175P, 6,812 HOURS SHOWING 11-22-24, 181.9" MAX LIFT HEIGHT, 84" MAST HEIGHT, SIDE SHIFT, 42" FORKS, FINGER TIP CONTROLS, 10,240 LB. TRUCK WEIGHT **SPECIAL NOTICE - NO LP TANK - PROPERTY OF CIA INDUSTRIAL **
197	1	2016 - 6,000 LB. HYSTER MODEL S60FT FORTIS LP GAS CUSHION TIRE THREE-STAGE MAST FORKLIFT; S/N H187V06191P, 2,231 HOURS SHOWING 11-22-24, 181.9" MAX LIFT HEIGHT, 84" MAST HEIGHT, SIDE SHIFT, 42" FORKS, FINGER TIP CONTROLS, 10,240 LB. TRUCK WEIGHT **SPECIAL NOTICE - NO LP TANK - PROPERTY OF CIA INDUSTRIAL **	201	1	2016 - 6,000 LB. HYSTER MODEL S60FT FORTIS LP GAS CUSHION TIRE THREE-STAGE MAST FORKLIFT; S/N H187V06172P, 9,210 HOURS SHOWING 11-22-24, 181.9" MAX LIFT HEIGHT, 84" MAST HEIGHT, SIDE SHIFT, 42" FORKS, FINGER TIP CONTROLS, 10,240 LB. TRUCK WEIGHT **SPECIAL NOTICE - NO LP TANK - PROPERTY OF CIA INDUSTRIAL **
198	1	2016 - 6,000 LB. HYSTER MODEL S60FT FORTIS LP GAS CUSHION TIRE THREE-STAGE MAST FORKLIFT; S/N H187V06171P, 6,613 HOURS SHOWING 11-22-24, 181.9" MAX LIFT HEIGHT, 84" MAST HEIGHT, SIDE SHIFT, 42" FORKS, FINGER TIP CONTROLS, 10,240 LB. TRUCK WEIGHT **SPECIAL NOTICE - NO LP TANK - PROPERTY OF CIA INDUSTRIAL **	202	1	5,000 LB. TOYOTA MODEL 8FGCU25 LP GAS SOLID TIRE THREE-STAGE MAST FORKLIFT; S/N C3119, 2,893 HOURS SHOWING 11-22-24, 189" MAX LIFT HEIGHT, 82" MAST HEIGHT, SIDE SHIFT, 42" FORKS, 10,415 LB. TRUCK WEIGHT **SPECIAL NOTICE - NO LP TANK - PROPERTY OF CIA INDUSTRIAL **
199	1	2016 - 6,000 LB. HYSTER MODEL S60FT FORTIS LP GAS CUSHION TIRE THREE-STAGE MAST FORKLIFT; S/N H187V06197P, 6,702 HOURS SHOWING 11-22-24, 181.9" MAX LIFT HEIGHT, 84" MAST HEIGHT, SIDE SHIFT, 42" FORKS, FINGER TIP CONTROLS, 10,240 LB. TRUCK WEIGHT **SPECIAL NOTICE - NO LP TANK - PROPERTY OF CIA INDUSTRIAL **	203	1	5,000 LB. TOYOTA MODEL 7FGCU25 LP GAS SOLID TIRE THREE-STAGE MAST FORKLIFT; S/N 75010, 13,113 HOURS SHOWING 11-22-24, 189" MAX LIFT HEIGHT, 82" MAST HEIGHT, SIDE SHIFT, 48" FORKS, 10,415 LB. TRUCK WEIGHT **SPECIAL NOTICE - NO LP TANK - PROPERTY OF CIA INDUSTRIAL **

Equipment Located at: 7123 Market Place
Cincinnati, Ohio 45216

Auction Date: December 19, 2024

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
204	1	5,000 LB. RAYMOND MODEL MCP1F2A25LV LP GAS STAND TREAD CUSHION TIRE THREE-STAGE MAST FORKLIFT; S/N CP1F2-9W27439, 2,970 HOURS SHOWING 11-22-24, 187" MAX LIFT HEIGHT, 82" MAST HEIGHT, SIDE SHIFT, 42" FORKS, 8,570 LB. TRUCK WEIGHT **SPECIAL NOTICE - NO LP TANK - PROPERTY OF CIA INDUSTRIAL **	207	1	9,000 LB. CATERPILLAR MODEL GC45KSWB LP GAS STANDARD TREAD SOLID TIRE THREE-STAGE FORKLIFT; S/N AT87A20528, 12,826 HOURS SHOWING 11-22-24, 172" MAX LIFT HEIGHT, 84" MAST HEIGHT, SIDE SHIFT, 48" FORKS, 17,660 LB. TRUCK WEIGHT **SPECIAL NOTICE - NO LP TANK - PROPERTY OF CIA INDUSTRIAL **
205	1	5,000 LB. NISSAN MODEL MCP1F2A25LV LP GAS SOLID TIRE THREE-STAGE FORKLIFT; S/N CP1F2-9W0276, 5,340 HOURS SHOWING 11-22-24, 187" MAX LIFT HEIGHT, 82" MAST HEIGHT, SIDE SHIFT, 40" FORKS, 8,570 LB. TRUCK WEIGHT **SPECIAL NOTICE - NO LP TANK - PROPERTY OF CIA INDUSTRIAL **	208	1	4,000 LB. CATERPILLAR MODEL C4000-LP LP GAS SOLID TIRE THREE-STAGE MAST FORKLIFT; S/N AT9012519, 11,483 HOURS SHOWING 11-22-24, 187" MAX LIFT HEIGHT, 82" MAST HEIGHT, SIDE SHIFT, 42" FORKS, 8,050 LB. TRUCK WEIGHT **SPECIAL NOTICE - NO LP TANK - PROPERTY OF CIA INDUSTRIAL **
206	1	5,000 LB. NISSAN MODEL MCP1F2A25LV LP GAS SOLID TIRE THREE-STAGE MAST FORKLIFT; S/N N/A, 5,595 HOURS SHOWING 11-22-24, 187" MAX LIFT HEIGHT, 82" MAST HEIGHT, SIDE SHIFT, 48" FORKS, 8,590 LB. TRUCK WEIGHT **SPECIAL NOTICE - NO LP TANK - PROPERTY OF CIA INDUSTRIAL **	209	1	5,000 LB. KOMATSU MODEL FG25STLP-12 LP GAS SOLID TIRE THREE-STAGE MAST FORKLIFT; S/N 506985A, 12,670 HOURS SHOWING 11-22-24, 188" MAX LIFT HEIGHT, 84" MAST HEIGHT, SIDE SHIFT, 42" FORKS, 8,650 LB. TRUCK WEIGHT **SPECIAL NOTICE - NO LP TANK - PROPERTY OF CIA INDUSTRIAL **