Equipment Located at: 300 Penry Road

Greensboro, North Carolina 27405

Auction Date: February 5, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Qty. Description Lot Qty. Description Lot 5,000 LB. CROWN MODEL C-5 1000-50 1 5,000 LB. TCM LP GAS PNEUMATIC 5 1 1 LP GAS CUSHION TIRE LIFT TRUCK; LIFT TRUCK; S/N A31T58301, UNIT NO. S/N 10478389, UNIT NO. MH3106, MH2552, HOURS SHOWING 5,360 2 HOURS SHOWING 7,126, FOUR-STAGE 1 5,000 LB. CROWN MODEL C-5 1000-50 LP GAS CUSHION TIRE LIFT TRUCK; MAST, 258" MAX LIFT HEIGHT, 89" COLLAPSED MAST HEIGHT, CLASS II S/N 10477769, UNIT NO. MH3098, CARRIAGE, LIFT LOWERING HOURS SHOWING 6,555, FOUR-STAGE **REGULATOR FOR GENTLE SETTING** MAST, 258" MAX LIFT HEIGHT, 89" COLLAPSED MAST HEIGHT, CLASS II DOWN OF LOADS, APPROX. TRUCK WEIGHT 9,735 LB. CARRIAGE, LIFT LOWERING 5,000 LB. CROWN MODEL C-5 1000-50 **REGULATOR FOR GENTLE SETTING** 6 1 DOWN OF LOADS, APPROX. TRUCK LP GAS CUSHION TIRE LIFT TRUCK; S/N 10477770, UNIT NO. MH3099, WEIGHT 9,735 LB. 3 HOURS SHOWING 7,281, FOUR-STAGE 5,000 LB. CROWN MODEL C-5 1000-50 1 MAST, 258" MAX LIFT HEIGHT, 89" LP GAS CUSHION TIRE LIFT TRUCK; S/N 10477487, UNIT NO. MH3098, COLLAPSED MAST HEIGHT, CLASS II HOURS SHOWING 6,737, FOUR-STAGE CARRIAGE, LIFT LOWERING **REGULATOR FOR GENTLE SETTING** MAST, 258" MAX LIFT HEIGHT, 89" DOWN OF LOADS, APPROX. TRUCK COLLAPSED MAST HEIGHT, CLASS II WEIGHT 9,735 LB. CARRIAGE, LIFT LOWERING 7 1 5,000 LB. CROWN MODEL C-5 1000-50 **REGULATOR FOR GENTLE SETTING** DOWN OF LOADS, APPROX. TRUCK LP GAS CUSHION TIRE LIFT TRUCK; S/N 10469784, UNIT NO. MH3045, WEIGHT 9,735 LB. 4 1 5,000 LB. CROWN MODEL C-5 1000-50 HOURS SHOWING 7,333, FOUR-STAGE MAST, 258" MAX LIFT HEIGHT, 89" LP GAS CUSHION TIRE LIFT TRUCK; COLLAPSED MAST HEIGHT, CLASS II S/N 10293077, UNIT NO. MH2634, CARRIAGE, LIFT LOWERING HOURS SHOWING 6,823, FOUR-STAGE **REGULATOR FOR GENTLE SETTING** MAST, 258" MAX LIFT HEIGHT, 89" COLLAPSED MAST HEIGHT, CLASS II DOWN OF LOADS, APPROX. TRUCK CARRIAGE, LIFT LOWERING WEIGHT 9,735 LB. 8 5,000 LB. CROWN MODEL C-5 1000-50 **REGULATOR FOR GENTLE SETTING** 1 LP GAS CUSHION TIRE LIFT TRUCK; DOWN OF LOADS, APPROX. TRUCK S/N 10293094, UNIT NO. MH2710, WEIGHT 9,735 LB. HOURS SHOWING 7,458, FOUR-STAGE MAST, 258" MAX LIFT HEIGHT, 89" COLLAPSED MAST HEIGHT, CLASS II

COLLAPSED MAST HEIGHT, CLASST CARRIAGE, LIFT LOWERING REGULATOR FOR GENTLE SETTING DOWN OF LOADS, APPROX. TRUCK WEIGHT 9,735 LB.



513.241.9701 WWW.CIA-INDUSTRIAL.COM

Equipment Located at: 300 Penry Road

Greensboro, North Carolina 27405

Auction Date: February 5, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Qty. Description Lot

- 9 1 5,000 LB. CROWN MODEL C-5 1000-50 LP GAS CUSHION TIRE LIFT TRUCK; S/N N/A, UNIT NO. MH3109, HOURS SHOWING 7,466.4, FOUR-STAGE MAST, 258" MAX LIFT HEIGHT, 89" COLLAPSED MAST HEIGHT, CLASS II CARRIAGE, LIFT LOWERING REGULATOR FOR GENTLE SETTING DOWN OF LOADS, APPROX. TRUCK WEIGHT 9,735 LB.
- 10 5,000 LB. CROWN MODEL C-5 1000-50 1 LP GAS CUSHION TIRE LIFT TRUCK; S/N 10291597, UNIT NO. MH2693, HOURS SHOWING 7,534, FOUR-STAGE MAST, 258" MAX LIFT HEIGHT, 89" COLLAPSED MAST HEIGHT, CLASS II CARRIAGE, LIFT LOWERING **REGULATOR FOR GENTLE SETTING** DOWN OF LOADS, APPROX. TRUCK WEIGHT 9,735 LB.
- 11 5,000 LB. CROWN MODEL C-5 1000-50 1 LP GAS CUSHION TIRE LIFT TRUCK; S/N 10467729, UNIT NO. MH3043, HOURS SHOWING 7,902, FOUR-STAGE MAST, 258" MAX LIFT HEIGHT, 89" COLLAPSED MAST HEIGHT, CLASS II CARRIAGE, LIFT LOWERING **REGULATOR FOR GENTLE SETTING** DOWN OF LOADS, APPROX. TRUCK WEIGHT 9,735 LB.
- 12 1 5,000 LB. CROWN MODEL C-5 1000-50 LP GAS CUSHION TIRE LIFT TRUCK; S/N 10291971, UNIT NO. MH2694, HOURS SHOWING 8,686, FOUR-STAGE MAST, 258" MAX LIFT HEIGHT, 89" COLLAPSED MAST HEIGHT, CLASS II CARRIAGE, LIFT LOWERING **REGULATOR FOR GENTLE SETTING** DOWN OF LOADS, APPROX. TRUCK WEIGHT 9,735 LB.

| Lot | Qty. | Description |
|-----|------|-----------------------------------|
| 13 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 |
| | | LP GAS CUSHION TIRE LIFT TRUCK; |
| | | S/N 10469780, UNIT NO. MH3044, |
| | | HOURS SHOWING 8,836, FOUR-STAGE |
| | | MAST, 258" MAX LIFT HEIGHT, 89" |
| | | COLLAPSED MAST HEIGHT, CLASS II |
| | | CARRIAGE, LIFT LOWERING |
| | | REGULATOR FOR GENTLE SETTING |
| | | DOWN OF LOADS, APPROX. TRUCK |
| | | WEIGHT 9,735 LB. |
| 14 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 |
| | | LP GAS CUSHION TIRE LIFT TRUCK; |
| | | S/N 10292825, UNIT NO. MH2696, |

- 3/11 10232023, 01111 110, 1112030, HOURS SHOWING 8,882, FOUR-STAGE MAST, 258" MAX LIFT HEIGHT, 89" COLLAPSED MAST HEIGHT, CLASS II CARRIAGE, LIFT LOWERING **REGULATOR FOR GENTLE SETTING** DOWN OF LOADS, APPROX. TRUCK WEIGHT 9,735 LB.
- 15 5,000 LB. CROWN MODEL C-5 1000-50 1 LP GAS CUSHION TIRE LIFT TRUCK; S/N 10119106, UNIT NO. MH1707, HOURS SHOWING 9,213, FOUR-STAGE MAST, 258" MAX LIFT HEIGHT, 89" COLLAPSED MAST HEIGHT, CLASS II CARRIAGE, LIFT LOWERING REGULATOR FOR GENTLE SETTING DOWN OF LOADS, APPROX. TRUCK WEIGHT 9,735 LB.
- 16 1 5,000 LB. CROWN MODEL C-5 1000-50 LP GAS CUSHION TIRE LIFT TRUCK; S/N 10292251, UNIT NO. MH2695, HOURS SHOWING 9,407, FOUR-STAGE MAST, 258" MAX LIFT HEIGHT, 89" COLLAPSED MAST HEIGHT, CLASS II CARRIAGE, LIFT LOWERING **REGULATOR FOR GENTLE SETTING** DOWN OF LOADS, APPROX. TRUCK WEIGHT 9,735 LB.



513.241.9701 WWW.CIA-INDUSTRIAL.COM

Equipment Located at: 300 Penry Road

Greensboro, North Carolina 27405

Auction Date: February 5, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

| Lot | Qty. | Description | Lot | Qty. | Description |
|-----|------|--|-----|------|---|
| 17 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 | 22 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 |
| | | LP GAS CUSHION TIRE LIFT TRUCK; | | | LP GAS CUSHION TIRE LIFT TRUCK; |
| | | S/N 10116437, UNIT NO. MH1712, HOURS | | | S/N 10168722, UNIT NO. MH1843, |
| | | SHOWING 9,425, FOUR-STAGE MAST, | | | HOURS SHOWING 9,884, FOUR-STAGE |
| | | 258" MAX LIFT HEIGHT, 89" COLLAPSED | | | MAST, 258" MAX LIFT HEIGHT, 89" |
| | | MAST HEIGHT, CLASS II CARRIAGE, | | | COLLAPSED MAST HEIGHT, CLASS II |
| | | LIFT LOWERING REGULATOR FOR | | | CARRIAGE, LIFT LOWERING |
| | | GENTLE SETTING DOWN OF LOADS, | | | REGULATOR FOR GENTLE SETTING |
| | | APPROX. TRUCK WEIGHT 9,735 LB. | | | DOWN OF LOADS, APPROX. TRUCK |
| 18 | 1 | 5,000 LB. NISSAN MODEL | | | WEIGHT 9,735 LB. |
| | | MCP1F2A25LV LP GAS CUSHION TIRE | 23 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 |
| | | LIFT TRUCK; S/N CP1F29P2567, UNIT | | | LP GAS CUSHION TIRE LIFT TRUCK; |
| | | NO. MH0278, HOURS SHOWING 9,608, | | | S/N 10169831, UNIT NO. MH1972, HOURS |
| | | THREE-STAGE MAST, 203" MAX LIFT | | | SHOWING 10,102, FOUR-STAGE MAST, |
| | | HEIGHT,"COLLAPSED MAST | | | 258" MAX LIFT HEIGHT, 89" COLLAPSED |
| | | HEIGHT, APPROX. TRUCK WEIGHT | | | MAST HEIGHT, CLASS II CARRIAGE, |
| 10 | 4 | 8,635 LB. | | | LIFT LOWERING REGULATOR FOR |
| 19 | 1 | 5,000 LB. NISSAN MODEL | | | GENTLE SETTING DOWN OF LOADS, |
| | | MCP1F2A25LV LP GAS CUSHION TIRE | 0 (| 1 | APPROX. TRUCK WEIGHT 9,735 LB. |
| | | LIFT TRUCK; S/N CP1F29P2568, UNIT | 24 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 |
| | | NO. MH0279, HOURS SHOWING 12,290, | | | LP GAS CUSHION TIRE LIFT TRUCK; |
| | | THREE-STAGE MAST, 203" MAX LIFT HEIGHT," COLLAPSED MAST | | | S/N 10115713, UNIT NO. MH1700, HOURS |
| | | | | | SHOWING 10,229, FOUR-STAGE MAST, 258" MAX LIFT HEIGHT, 89" COLLAPSED |
| | | HEIGHT, APPROX. TRUCK WEIGHT 8,635 LB. | | | MAST HEIGHT, CLASS II CARRIAGE, |
| 20 | 1 | 5,000 LB. NISSAN MODEL | | | LIFT LOWERING REGULATOR FOR |
| 20 | I | MCP1F2A25LV LP GAS CUSHION TIRE | | | GENTLE SETTING DOWN OF LOADS, |
| | | LIFT TRUCK; S/N CP1F29W1679, UNIT | | | APPROX. TRUCK WEIGHT 9,735 LB. |
| | | NO. MH0677, HOURS SHOWING 15,213, | 25 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 |
| | | THREE-STAGE MAST, 203" MAX LIFT | 20 | 1 | LP GAS CUSHION TIRE LIFT TRUCK; |
| | | HEIGHT,"COLLAPSED MAST | | | S/N 10211125, UNIT NO. MH2256, HOURS |
| | | HEIGHT, APPROX. TRUCK WEIGHT | | | SHOWING 10,499, FOUR-STAGE MAST, |
| | | 8,635 LB. | | | 258" MAX LIFT HEIGHT, 89" COLLAPSED |
| 21 | 1 | 5,000 LB. NISSAN MODEL | | | MAST HEIGHT, CLASS II CARRIAGE, |
| | | MCP1F2A25LV LP GAS CUSHION TIRE | | | LIFT LOWERING REGULATOR FOR |
| | | LIFT TRUCK; S/N CP1F29W1271, UNIT | | | GENTLE SETTING DOWN OF LOADS, |
| | | NO. MH0360, HOURS SHOWING N/A, | | | APPROX. TRUCK WEIGHT 9,735 LB. |
| | | THREE-STAGE MAST, 217" MAX LIFT | | | |
| | | HEIGHT," COLLAPSED MAST | | | |
| | | HEIGHT, APPROX. TRUCK WEIGHT | | | |
| | | 8,425 LB. | | | |



513.241.9701 | WWW.CIA-INDUSTRIAL.COM

Equipment Located at: 300 Penry Road

Greensboro, North Carolina 27405

Auction Date: February 5, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

| Lot | Qty. | Description | Lot | Qty. | Description |
|-----|------|---|-----|------|---|
| 26 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 LP GAS CUSHION TIRE LIFT TRUCK; S/N 10116358, UNIT NO. MH1708, HOURS SHOWING 10,858, FOUR-STAGE MAST, 258" MAX LIFT HEIGHT, 89" COLLAPSED MAST HEIGHT, CLASS II CARRIAGE, LIFT LOWERING REGULATOR FOR GENTLE SETTING DOWN OF LOADS, APPROX. TRUCK WEIGHT 9,735 LB. 5,000 LB. CROWN MODEL C-5 1000-50 | 30 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 LP GAS CUSHION TIRE LIFT TRUCK; S/N 10204260, UNIT NO. MH2254, HOURS SHOWING 12,005, FOUR-STAGE MAST, 258" MAX LIFT HEIGHT, 89" COLLAPSED MAST HEIGHT, CLASS II CARRIAGE, LIFT LOWERING REGULATOR FOR GENTLE SETTING DOWN OF LOADS, APPROX. TRUCK WEIGHT 9,735 LB. |
| | | LP GAS CUSHION TIRE LIFT TRUCK; S/N 10225085, UNIT NO. MH2408, HOURS SHOWING 11,236, FOUR-STAGE MAST, 258" MAX LIFT HEIGHT, 89" COLLAPSED MAST HEIGHT, CLASS II CARRIAGE, LIFT LOWERING REGULATOR FOR GENTLE SETTING DOWN OF LOADS, APPROX. TRUCK WEIGHT 9,735 LB. | 31 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 LP GAS CUSHION TIRE LIFT TRUCK; S/N 10225096, UNIT NO. MH2397, HOURS SHOWING 12,359, FOUR-STAGE MAST, 258" MAX LIFT HEIGHT, 89" COLLAPSED MAST HEIGHT, CLASS II CARRIAGE, LIFT LOWERING REGULATOR FOR GENTLE SETTING DOWN OF LOADS, APPROX. TRUCK |
| 28 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 LP GAS CUSHION TIRE LIFT TRUCK; S/N 10225095, UNIT NO. MH2396, HOURS SHOWING 11,479, FOUR-STAGE MAST, 258" MAX LIFT HEIGHT, 89" COLLAPSED MAST HEIGHT, CLASS II CARRIAGE, LIFT LOWERING REGULATOR FOR GENTLE SETTING DOWN OF LOADS, APPROX. TRUCK WEIGHT 9,735 LB. | 32 | 1 | WEIGHT 9,735 LB. 5,000 LB. CROWN MODEL C-5 1000-50 LP GAS CUSHION TIRE LIFT TRUCK; S/N 10207252, UNIT NO. MH2260, HOURS SHOWING 12,413, FOUR-STAGE MAST, 258" MAX LIFT HEIGHT, 89" COLLAPSED MAST HEIGHT, CLASS II CARRIAGE, LIFT LOWERING REGULATOR FOR GENTLE SETTING DOWN OF LOADS, APPROX. TRUCK |
| 29 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 LP GAS CUSHION TIRE LIFT TRUCK; S/N 10116628, UNIT NO. MH1711, HOURS SHOWING 11,874, FOUR-STAGE MAST, 258" MAX LIFT HEIGHT, 89" COLLAPSED MAST HEIGHT, CLASS II CARRIAGE, LIFT LOWERING REGULATOR FOR GENTLE SETTING DOWN OF LOADS, APPROX. TRUCK WEIGHT 9,735 LB. | 33 | 1 | WEIGHT 9,735 LB. 5,000 LB. CROWN MODEL C-5 1000-50 LP GAS CUSHION TIRE LIFT TRUCK; S/N 10225105, UNIT NO. MH2407, HOURS SHOWING 12,507, FOUR-STAGE MAST, 258" MAX LIFT HEIGHT, 89" COLLAPSED MAST HEIGHT, CLASS II CARRIAGE, LIFT LOWERING REGULATOR FOR GENTLE SETTING DOWN OF LOADS, APPROX. TRUCK WEIGHT 9,735 LB. |



513.241.9701 | WWW.CIA-INDUSTRIAL.COM

2020 DUNLAP ST., CINCINNATI, OH 45214

Page 4

Equipment Located at: 300 Penry Road

Greensboro, North Carolina 27405

Auction Date: February 5, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

| Lot | Qty. | Description | l ot | Qty. | Description |
|-----|--------|---|------|----------|--|
| 34 | 1 1 | 5,000 LB. CROWN MODEL C-5 1000-50 | 38 | <u> </u> | 5,000 LB. CROWN MODEL C-5 1000-50 |
| | | LP GAS CUSHION TIRE LIFT TRUCK; | | | LP GAS CUSHION TIRE LIFT TRUCK; |
| | | S/N 10204258, UNIT NO. MH2252, | | | S/N 10225089, UNIT NO. MH2409, |
| | | HOURS SHOWING 12,858, FOUR-STAGE | | | HOURS SHOWING 13,482, FOUR-STAGE |
| | | MAST, 258" MAX LIFT HEIGHT, 89" | | | MAST, 258" MAX LIFT HEIGHT, 89" |
| | | COLLAPSED MAST HEIGHT, CLASS II | | | COLLAPSED MAST HEIGHT, CLASS II |
| | | CARRIAGE, LIFT LOWERING | | | CARRIAGE, LIFT LOWERING |
| | | REGULATOR FOR GENTLE SETTING | | | REGULATOR FOR GENTLE SETTING |
| | | DOWN OF LOADS, APPROX. TRUCK | | | DOWN OF LOADS, APPROX. TRUCK |
| | | WEIGHT 9,735 LB. | | | WEIGHT 9,735 LB. |
| 35 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 | 39 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 |
| | | LP GAS CUSHION TIRE LIFT TRUCK; | | | LP GAS CUSHION TIRE LIFT TRUCK; |
| | | S/N 10168733, UNIT NO. MH1854, | | | S/N 10115570, UNIT NO. MH1697, HOURS |
| | | HOURS SHOWING 13,224, FOUR-STAGE | | | SHOWING 13,603, FOUR-STAGE MAST, |
| | | MAST, 258" MAX LIFT HEIGHT, 89" | | | 258" MAX LIFT HEIGHT, 89" COLLAPSED |
| | | COLLAPSED MAST HEIGHT, CLASS II | | | MAST HEIGHT, CLASS II CARRIAGE, |
| | | CARRIAGE, LIFT LOWERING | | | LIFT LOWERING REGULATOR FOR |
| | | REGULATOR FOR GENTLE SETTING | | | GENTLE SETTING DOWN OF LOADS, |
| | | DOWN OF LOADS, APPROX. TRUCK | () | | APPROX. TRUCK WEIGHT 9,735 LB. |
| 70 | 1 | WEIGHT 9,735 LB. | 40 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 |
| 36 | I | 5,000 LB. CROWN MODEL C-5 1000-50 | | | LP GAS CUSHION TIRE LIFT TRUCK; |
| | | LP GAS CUSHION TIRE LIFT TRUCK; | | | S/N 10168724, UNIT NO. MH1845, |
| | | S/N 10225087, UNIT NO. MH2406, | | | HOURS SHOWING 13,724, FOUR-STAGE |
| | | HOURS SHOWING 13,371, FOUR-STAGE MAST, 258" MAX LIFT HEIGHT, 89" | | | MAST, 258" MAX LIFT HEIGHT, 89" |
| | | COLLAPSED MAST HEIGHT, CLASS II | | | COLLAPSED MAST HEIGHT, CLASS II CARRIAGE, LIFT LOWERING |
| | | CARRIAGE, LIFT LOWERING | | | REGULATOR FOR GENTLE SETTING |
| | | REGULATOR FOR GENTLE SETTING | | | DOWN OF LOADS, APPROX. TRUCK |
| | | DOWN OF LOADS, APPROX. TRUCK | | | WEIGHT 9,735 LB. |
| | | WEIGHT 9,735 LB. | 41 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 |
| 37 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 | | | LP GAS CUSHION TIRE LIFT TRUCK; |
| • • | | LP GAS CUSHION TIRE LIFT TRUCK; | | | S/N 10169834, UNIT NO. MH1973, |
| | | S/N 10115714, UNIT NO. MH1704, HOURS | | | HOURS SHOWING 14,291, FOUR-STAGE |
| | | SHOWING 13,447, FOUR-STAGE MAST, | | | MAST, 258" MAX LIFT HEIGHT, 89" |
| | | 258" MAX LIFT HEIGHT, 89" COLLAPSED | | | COLLAPSED MAST HEIGHT, CLASS II |
| | | MAST HEIGHT, CLASS II CARRIAGE, | | | CARRIAGE, LIFT LOWERING |
| | | LIFT LOWERING REGULATOR FOR | | | REGULATOR FOR GENTLE SETTING |
| | | GENTLE SETTING DOWN OF LOADS, | | | DOWN OF LOADS, APPROX. TRUCK |
| | | APPROX. TRUCK WEIGHT 9,735 LB. | | | WEIGHT 9,735 LB. |
| | | | | | |



513.241.9701 WWW.CIA-INDUSTRIAL.COM

Equipment Located at: 300 Penry Road

Greensboro, North Carolina 27405

Auction Date: February 5, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

| Lot | Qty. | Description | Lot | Qty. | Description |
|-----|------|---|-----|------|--|
| 42 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 | 46 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 |
| | | LP GAS CUSHION TIRE LIFT TRUCK; | | | LP GAS CUSHION TIRE LIFT TRUCK; |
| | | S/N 10168731, UNIT NO. MH1846, HOURS | | | S/N 10168727, UNIT NO. MH1850, |
| | | SHOWING 14,344, FOUR-STAGE MAST, | | | HOURS SHOWING 14,964, FOUR-STAGE |
| | | 258" MAX LIFT HEIGHT, 89" COLLAPSED | | | MAST, 258" MAX LIFT HEIGHT, 89" |
| | | MAST HEIGHT, CLASS II CARRIAGE, | | | COLLAPSED MAST HEIGHT, CLASS II |
| | | LIFT LOWERING REGULATOR FOR | | | CARRIAGE, LIFT LOWERING |
| | | GENTLE SETTING DOWN OF LOADS, | | | REGULATOR FOR GENTLE SETTING |
| | | APPROX. TRUCK WEIGHT 9,735 LB. | | | DOWN OF LOADS, APPROX. TRUCK |
| 43 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 | | | WEIGHT 9,735 LB. |
| | | LP GAS CUSHION TIRE LIFT TRUCK; | 47 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 |
| | | S/N 10115567, UNIT NO. MH1702, HOURS | | | LP GAS CUSHION TIRE LIFT TRUCK; |
| | | SHOWING 14,622, FOUR-STAGE MAST, | | | S/N 10115709, UNIT NO. MH1698, HOURS |
| | | 258" MAX LIFT HEIGHT, 89" COLLAPSED | | | SHOWING 15,416, FOUR-STAGE MAST, |
| | | MAST HEIGHT, CLASS II CARRIAGE, | | | 258" MAX LIFT HEIGHT, 89" COLLAPSED |
| | | LIFT LOWERING REGULATOR FOR | | | MAST HEIGHT, CLASS II CARRIAGE, |
| | | GENTLE SETTING DOWN OF LOADS, | | | LIFT LOWERING REGULATOR FOR |
| | | APPROX. TRUCK WEIGHT 9,735 LB. | | | GENTLE SETTING DOWN OF LOADS, |
| 44 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 | (0 | | APPROX. TRUCK WEIGHT 9,735 LB. |
| | | LP GAS CUSHION TIRE LIFT TRUCK; | 48 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 |
| | | S/N 10211541, UNIT NO. MH2257, HOURS | | | LP GAS CUSHION TIRE LIFT TRUCK; |
| | | SHOWING 14,652, FOUR-STAGE MAST, | | | S/N 10168721, UNIT NO. MH1842, HOURS |
| | | 258" MAX LIFT HEIGHT, 89" COLLAPSED | | | SHOWING 15,423, FOUR-STAGE MAST, |
| | | MAST HEIGHT, CLASS II CARRIAGE, | | | 258" MAX LIFT HEIGHT, 89" COLLAPSED |
| | | LIFT LOWERING REGULATOR FOR | | | MAST HEIGHT, CLASS II CARRIAGE, |
| | | GENTLE SETTING DOWN OF LOADS, | | | LIFT LOWERING REGULATOR FOR GENTLE SETTING DOWN OF LOADS, |
| 45 | 1 | APPROX. TRUCK WEIGHT 9,735 LB. 5,000 LB. CROWN MODEL C-5 1000-50 | | | APPROX. TRUCK WEIGHT 9,735 LB. |
| 40 | I | LP GAS CUSHION TIRE LIFT TRUCK; | 49 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 |
| | | S/N 10207064, UNIT NO. MH2255, | 43 | I | LP GAS CUSHION TIRE LIFT TRUCK; |
| | | HOURS SHOWING 14,741, FOUR-STAGE | | | S/N 10168719, UNIT NO. MH1840, HOURS |
| | | MAST, 258" MAX LIFT HEIGHT, 89" | | | SHOWING 15,567, FOUR-STAGE MAST, |
| | | COLLAPSED MAST HEIGHT, CLASS II | | | 258" MAX LIFT HEIGHT, 89" COLLAPSED |
| | | CARRIAGE, LIFT LOWERING | | | MAST HEIGHT, CLASS II CARRIAGE, |
| | | REGULATOR FOR GENTLE SETTING | | | LIFT LOWERING REGULATOR FOR |
| | | DOWN OF LOADS, APPROX. TRUCK | | | GENTLE SETTING DOWN OF LOADS, |
| | | WEIGHT 9,735 LB. | | | APPROX. TRUCK WEIGHT 9,735 LB. |
| | | -, | | | |



513.241.9701 WWW.CIA-INDUSTRIAL.COM

Equipment Located at: 300 Penry Road

Greensboro, North Carolina 27405

Auction Date: February 5, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

| Lot | Qty. | Description | Lot | Qty. | Description |
|-----|------|---|-----|------|---|
| 50 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 | 54 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 |
| | | LP GAS CUSHION TIRE LIFT TRUCK; | | | LP GAS CUSHION TIRE LIFT TRUCK; |
| | | S/N 10168732, UNIT NO. MH1847, | | | S/N 10116438, UNIT NO. MH1710, HOURS |
| | | HOURS SHOWING 15,760, FOUR-STAGE | | | SHOWING 16,840, FOUR-STAGE MAST, |
| | | MAST, 258" MAX LIFT HEIGHT, 89" | | | 258" MAX LIFT HEIGHT, 89" COLLAPSED |
| | | COLLAPSED MAST HEIGHT, CLASS II | | | MAST HEIGHT, CLASS II CARRIAGE, |
| | | CARRIAGE, LIFT LOWERING | | | LIFT LOWERING REGULATOR FOR |
| | | REGULATOR FOR GENTLE SETTING | | | GENTLE SETTING DOWN OF LOADS, |
| | | DOWN OF LOADS, APPROX. TRUCK | | | APPROX. TRUCK WEIGHT 9,735 LB. |
| | | WEIGHT 9,735 LB. | 55 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 |
| 51 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 | | | LP GAS CUSHION TIRE LIFT TRUCK; |
| | | LP GAS CUSHION TIRE LIFT TRUCK; | | | S/N 10026802, UNIT NO. MH1291, |
| | | S/N 10120049, UNIT NO. MH1726, | | | HOURS SHOWING N/A, FOUR-STAGE |
| | | HOURS SHOWING 16,146, FOUR-STAGE | | | MAST, 258" MAX LIFT HEIGHT, 89" |
| | | MAST, 258" MAX LIFT HEIGHT, 89" | | | COLLAPSED MAST HEIGHT, CLASS II |
| | | COLLAPSED MAST HEIGHT, CLASS II | | | CARRIAGE, LIFT LOWERING |
| | | CARRIAGE, LIFT LOWERING | | | REGULATOR FOR GENTLE SETTING |
| | | REGULATOR FOR GENTLE SETTING | | | DOWN OF LOADS, APPROX. TRUCK |
| | | DOWN OF LOADS, APPROX. TRUCK | 50 | | WEIGHT 9,735 LB. |
| 50 | 4 | WEIGHT 9,735 LB. | 56 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 |
| 52 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 | | | LP GAS CUSHION TIRE LIFT TRUCK; |
| | | LP GAS CUSHION TIRE LIFT TRUCK; | | | S/N 10168723, UNIT NO. MH1844, |
| | | S/N 10168728, UNIT NO. MH1851, HOURS | | | HOURS SHOWING N/A, FOUR-STAGE |
| | | SHOWING 16,286, FOUR-STAGE MAST, | | | MAST, 258" MAX LIFT HEIGHT, 89" |
| | | 258" MAX LIFT HEIGHT, 89" COLLAPSED | | | COLLAPSED MAST HEIGHT, CLASS II |
| | | MAST HEIGHT, CLASS II CARRIAGE, LIFT LOWERING REGULATOR FOR | | | CARRIAGE, LIFT LOWERING REGULATOR FOR GENTLE SETTING |
| | | | | | DOWN OF LOADS, APPROX. TRUCK |
| | | GENTLE SETTING DOWN OF LOADS, | | | WEIGHT 9,735 LB. |
| 53 | 1 | APPROX. TRUCK WEIGHT 9,735 LB. 5,000 LB. CROWN MODEL C-5 1000-50 | 57 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 |
| 55 | 1 | LP GAS CUSHION TIRE LIFT TRUCK; | 57 | 1 | LP GAS CUSHION TIRE LIFT TRUCK; |
| | | S/N 10168726, UNIT NO. MH1849, | | | S/N 10168725, UNIT NO. MH1848, |
| | | HOURS SHOWING 16,582, FOUR-STAGE | | | HOURS SHOWING N/A, FOUR-STAGE |
| | | MAST, 258" MAX LIFT HEIGHT, 89" | | | MAST, 258" MAX LIFT HEIGHT, 89" |
| | | COLLAPSED MAST HEIGHT, CLASS II | | | COLLAPSED MAST HEIGHT, CLASS II |
| | | CARRIAGE, LIFT LOWERING | | | CARRIAGE, LIFT LOWERING |
| | | REGULATOR FOR GENTLE SETTING | | | REGULATOR FOR GENTLE SETTING |
| | | DOWN OF LOADS, APPROX. TRUCK | | | DOWN OF LOADS, APPROX. TRUCK |
| | | WEIGHT 9,735 LB. | | | WEIGHT 9,735 LB. |
| | | | | | |



513.241.9701 | WWW.CIA-INDUSTRIAL.COM

Page 7

Equipment Located at: 300 Penry Road

Greensboro, North Carolina 27405

Auction Date: February 5, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

| Lot | Qty. Description | _ot | Qty. | Description |
|-----|--|-----|------|--|
| 58 | 1 5,000 LB. CROWN MODEL C-5 1000-50 LP GAS CUSHION TIRE LIFT TRUCK; S/N 10168729, UNIT NO. MH1852, HOURS SHOWING N/A, FOUR-STAGE MAST, 258" MAX LIFT HEIGHT, 89" COLLAPSED MAST HEIGHT, CLASS II CARRIAGE, LIFT LOWERING REGULATOR FOR GENTLE SETTING DOWN OF LOADS, APPROX. TRUCK WEIGHT 9,735 LB. | 61 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 LP GAS CUSHION TIRE LIFT TRUCK; S/N 10467727, UNIT NO. MH3042, HOURS SHOWING N/A, FOUR-STAGE MAST, 258" MAX LIFT HEIGHT, 89" COLLAPSED MAST HEIGHT, CLASS II CARRIAGE, LIFT LOWERING REGULATOR FOR GENTLE SETTING DOWN OF LOADS, APPROX. TRUCK WEIGHT 9,735 LB. |
| 59 | LP GAS CUSHION TIRE LIFT TRUCK; S/N 10168730, UNIT NO. MH1853, HOURS SHOWING N/A, FOUR-STAGE MAST, 258" MAX LIFT HEIGHT, 89" COLLAPSED MAST HEIGHT, CLASS II CARRIAGE, LIFT LOWERING REGULATOR FOR GENTLE SETTING DOWN OF LOADS, APPROX. TRUCK | 62 | 1 | 5,000 LB. CROWN MODEL C-5 1000-50 LP GAS CUSHION TIRE LIFT TRUCK; S/N 10168720, UNIT NO. MH1841, HOURS SHOWING N/A, FOUR-STAGE MAST, 258" MAX LIFT HEIGHT, 89" COLLAPSED MAST HEIGHT, CLASS II CARRIAGE, LIFT LOWERING REGULATOR FOR GENTLE SETTING DOWN OF LOADS, APPROX. TRUCK WEIGHT 9,735 LB. 5,000 LB. CROWN MODEL C-5 1000-50 |
| 60 | 5,000 LB. CROWN MODEL C-5 1000-50 LP GAS CUSHION TIRE LIFT TRUCK; S/N 10211540, UNIT NO. MH2261, HOURS SHOWING N/A, FOUR-STAGE MAST, 258" MAX LIFT HEIGHT, 89" COLLAPSED MAST HEIGHT, CLASS II CARRIAGE, LIFT LOWERING REGULATOR FOR GENTLE SETTING DOWN OF LOADS, APPROX. TRUCK | 64 | 1 | LP GAS CUSHION TIRE LIFT TRUCK; S/N 10204259, UNIT NO. MH2253, HOURS SHOWING N/A, FOUR-STAGE MAST, 258" MAX LIFT HEIGHT, 89" COLLAPSED MAST HEIGHT, CLASS II CARRIAGE, LIFT LOWERING REGULATOR FOR GENTLE SETTING DOWN OF LOADS, APPROX. TRUCK WEIGHT 9,735 LB. 5,000 LB. CROWN MODEL C-5 1000-50 LP GAS CUSHION TIRE LIFT TRUCK; S/N 10207065, UNIT NO. MH2259, HOURS SHOWING N/A, FOUR-STAGE |
| | REGULATOR FOR GENTLE SETTING DOWN OF LOADS, APPROX. TRUCK | 64 | 1 | DOWN OF LOADS, APPROX. T WEIGHT 9,735 LB. 5,000 LB. CROWN MODEL C- LP GAS CUSHION TIRE LIFT T S/N 10207065, UNIT NO. MH2 |

FORGING EXIT STRATEGIES SINCE 1961

513.241.9701 | WWW.CIA-INDUSTRIAL.COM

COLLAPSED MAST HEIGHT, CLASS II

REGULATOR FOR GENTLE SETTING DOWN OF LOADS, APPROX. TRUCK

CARRIAGE, LIFT LOWERING

WEIGHT 9,735 LB.

Page 8