Equipment Located at: 441 S. Sheep Lane

Grantsville, Utah 84029

Auction Date: February 13, 2025

		authenticity, description, weight, count, or	measure o	t any of t	the lots specified herein.
Lot	Qty.	Description	Lot	Qty.	Description
1	1	XPOWER MODEL P-830 BRAND NEW	15	1	10,000 LB. MAX PSI DAKE MANUAL
		FOUR-POSITION ELECTRIC AIR			HYDRAULIC HAND PUMP WITH
		MOVER			BOTTLE JACK
2	1	XPOWER MODEL P-830 BRAND NEW	16	2	20" STRONGHAND MODEL UM205
		FOUR-POSITION ELECTRIC AIR			SLIDING BAR CLAMPS
		MOVER	17	4	16" STRONGHAND MODEL UM165
3	1	XPOWER MODEL P-830 BRAND NEW			SLIDING BAR CLAMPS
		FOUR-POSITION ELECTRIC AIR	18	5	12" STRONGHAND MODEL UM125
		MOVER			SLIDING BAR CLAMPS
4	1	XPOWER MODEL P-830 BRAND NEW	19	5	12" STRONGHAND MODEL UM125
		FOUR-POSITION ELECTRIC AIR			SLIDING BAR CLAMPS
		MOVER	20	8	24" BESSEY MODEL GSCC-2-254
5	1	XPOWER MODEL P-830 BRAND NEW			SLIDING BAR CLAMPS
		FOUR-POSITION ELECTRIC AIR	21	4	(2) 36" AND (2) 24" MISCELLANEOUS
		MOVER			BRANDS SLIDING BAR CLAMPS
6	1	XPOWER MODEL P-830 BRAND NEW	22	4	(2)12" AND (2)6" DEWALT QUICK-
		FOUR-POSITION ELECTRIC AIR			GRIP SLIDING BAR CLAMPS
		MOVER	23	1	(LOT) MISCELLANEOUS SIZE C-
7	1	XPOWER MODEL P-830 BRAND NEW			CLAMPS
		FOUR-POSITION ELECTRIC AIR	24	1	(LOT) MISCELLANEOUS HAND TOOLS
		MOVER			AND MODIFIED CLAMPS
8	1	12" DIAMETER MAKITA MODEL LC1230	25	1	1,000 KG/ 2,204 LB. PERMANET
		CORDED MITRE SAW; S/N 129280,			MAGNET LIFTERS MODEL PML-10
		WITH (5) NEW BLADES			LIFTING MAGNET
9	1	12" RYOBI MODEL TSS120L CORDED	26	1	49" X 96" X 39-1/2" WITH 3/4" THICK
		COMPOUND MITRE SAW			SOLID STEEL TOP PLATE EXTREME
10	1	RYOBI MODEL A25RT03 ROUTER			DUTY WELDED STEEL WORKBENCH
		TABLE			**SPECIAL NOTICE - DELAYED
11	1	DEWALT MODEL DWF83PL			REMOVAL - PICKUP 2-21-2025**
		PNEUMATIC PLASTIC COLLATED	27	1	48" X 73" X 39" HIGH WITH 5/8" THICK
		FRAMING NAILER WITH NAILS			SOLID STEEL TOP PLATE EXTREME
12	1	MAKITA MODEL AT150A PNEUMATIC			DUTY WELD STEEL WORK BENCH
		COLLATED STAPLE GUN WITH			**SPECIAL NOTICE - DELAYED
		STAPLES			REMOVAL - PICKUP 2-21-2025**
13	1	CINHELL MODEL TC-EH500-18 LIGHT	28	1	32" X 81-1/2" X 39" HIGH WITH 3/8"
		DUTY PENDANT CONTROL CABLE			THICK SOLID STEEL TOP PLATE
		HOIST			EXTREME DUTY WELDED STEEL
14	1	GLESSON REELS CAT NO. C19-B04-			WORKBENCH **SPECIAL NOTICE -
		D1102 ELECTRIC CABLE REEL			DELAYED REMOVAL - PICKUP 2-21-
					2025**



Equipment Located at: 441 S. Sheep Lane

Grantsville, Utah 84029

Auction Date: February 13, 2025

Lot	Qty.	Description	Lot	Qty.	Description
29	1	36" X 92" X 28-3/4" HIGH STEEL	43	1	JET MODEL JCDC-2 PORTABLE
		FRAME WOOD TOP WORK BENCH			CYCLONE DUST COLLECTOR; S/N
30	1	10" DEWALT MODEL DWE7480			15110634
		CORDED TABLE SAW WITH STAND	44	1	2 HP GRIZZLY MODEL G1029Z2P
31	1	6" BELT / 9" DISC CENTRAL			POLAR BEAR SERIES PORTABLE
		MACHINERY MODEL 61750 CORDED			DUST COLLECTOR
		COMBINATION SANDER WITH EXTRA	45	1	7.5 HP SONIC MODEL SONIC 70
		BELTS AND SANDING DISCS			PORTABLE AIR SYSTEM UNIT
32	1	20" CENTRAL MACHINERY ITEM	46	1	44" DIAMETER PRESTO MODEL
		39955 CORDED FLOOR DRILL			50061501 PNEUMATIC PALLET
33	1	52" KLUTCH ITEM 49680 STAND			POSITIONER; S/N V81195-24-1500912
		MOUNTED SLIP ROLLER, 16 GAUGE	47	1	3M-MATIC MODEL S-687 PORTABLE
		MAX MILD STEEL, 3" MAS ROLL			"L" CLIP TAPE APPLICATOR; S/N
		RADIUS			8636, TYPE 10500
34	1	20 TON MAX CAPACITY CENTRAL	48	1	30,000 WATT GLOBAL MODEL 246067
		MACHINERY ITEM 60603 MANUAL			PORTABLE SALAMANDER HEATER;
		HYDRAULIC H-FRAME PRESS			S/N 18000577 (BRAND NEW), 3-
35	1	20 TON MAX CAPACITY TOOLMASTER			PHASE, 480 VOLTS
		MANUAL HYDRAULIC H-FRAME	49	1	30,000 WATT GLOBAL MODEL 246067
		PRESS			PORTABLE SALAMANDER HEATER;
36	1	MFG UNKNOWN PORTABLE BELT-			S/N 18000173 (BRAND NEW), 3-
		DRIVEN PIPE THREADING MACHINE			PHASE, 480 VOLTS
37	1	8" JET MODEL JBG-8B STAND	50	1	30,000 WATTS GLOBAL MODEL
		MOUNTED DOUBLE END CORDED			246067 PORTABLE SALAMANDER
		GRINDER; S/N 18060174			HEATER; S/N 19000298 (BRAND
38	1	8" JET MODEL JBG-8B STAND			NEW), 3-PHASE, 480 VOLTS
		MOUNTED DOUBLE END CORDED	51	1	30,000 WATTS GLOBAL MODEL
		GRINDER; S/N 18052790			246067 PORTABLE SALAMANDER
39	1	8" JET MODEL JBG-8B STAND			HEATER; S/N 19000291(BRAND
		MOUNTED DOUBLE END CORDED			NEW), 3-PHASE, 480 VOLTS
		GRINDER; S/N 17084168	52	1	30,000 WATTS GLOBAL MODEL
40	1	8" DEWALT MODEL DW758 STAND			246067 PORTABLE SALAMANDER
		MOUNTED DOUBLE END CORDED			HEATER; S/N 1800571 (BRAND NEW),
		GRINDER; S/N 2018-30-YL88588			3-PHASE, 480 VOLTS
41	1	8" CRAFTSMAN MODEL 21162-3	53	1	30,000 WATTS GLOBAL MODEL
		STAND MOUNTED VARIABLE ESPEED			246067 PORTABLE SALAMANDER
		STAND MOUNTED GRINDER; S/N			HEATER; S/N 18000321(BRAND
	_	0616-26787			NEW), 3-PHASE, 480 VOLTS
42	1	3 TON CAPACITY DAYTON MODEL			
		IUH14J STAND MOUNTED			
		RATCHETING ARBOR PRESS			



Equipment Located at: 441 S. Sheep Lane

Grantsville, Utah 84029

Auction Date: February 13, 2025

Lot	Qty.	Description	Lot	Qty.	·
54	<u> </u>	30,000 WATTS GLOBAL MODEL	63		250 AMP MILLER MODEL
		246067 PORTABLE SALAMANDER			MILLERMATIC 252 PORTABLE MIG
		HEATER; S/N 19000299 (BRAND			WELDING POWER SOURCE; S/N
		NEW), 3-PHASE, 480 VOLTS			MG430435N, WITH BUILT IN WIRE
55	1	30,000 WATTS GLOBAL MODEL			FEEDER
		246067 PORTABLE SALAMANDER	64	1	250 AMP MILLER MODEL
		HEATER; S/N 19000340 (BRAND			MILLERMATIC 252 PORTABLE MIG
		NEW), 3-PHASE, 480 VOLTS			WELDING POWER SOURCE; S/N
56	1	30,000 WATTS GLOBAL MODEL			MH330408N, WITH BUILT IN WIRE
		246067 PORTABLE SALAMANDER			FEEDER
		HEATER; S/N 19000475 (BRAND	65	1	250 AMP MILLER MODEL
		NEW), 3-PHASE, 480 VOLTS			MILLERMATIC 252 PORTABLE MIG
57	5	GLOBAL MODEL 653564 BRAND NEW			WELDING POWER SOURCE; S/N
		WALL / CEILING HANGING BRACKETS			MG050262N, WITH BUILT IN WIRE
58	1	600 AMP LINCOLN ELECTRIC MODEL			FEEDER
		IDEALARC DC-600 CONSTANT	66	1	LINCOLN ELECTRIC MODEL SQUIRT
		VOLTAGE / CONSTANT CURRENT DC			LN-7 MIG WELDER WIRE FEEDER
		ARC WELDING POWER SOURCE; S/N			WIRE FEED UNIT; S/N 126820
		10407M	67	1	HYPERTHERM POWERMAX 65
59	1	250 AMP LINCOLN ELECTRIC MODEL			PORTABLE PLASMA CUTTING
		POWER MIG 256 PORTABLE MIG			SYSTEM; S/N 65-068213, WITH 24" X
		WELDING POWER SOURCE; S/N			48" CUTTING TABLE
		M3160709401	68	1	ESAB MODEL EMP215iC PORTABLE
60	1	350 AMP MILLER MODEL			MULTIPROCESS 3-IN-1 WELDING
		SYNCRWAVE 350XL PORTABLE TIG	0.0		POWER SOURCE; S/N 552-739-0171
		WELDING POWER SOURCE; S/N	69	1	OXY-ACETYLENE CART WITH GAGES,
01	1	MH460457L	70	1	HOSE AND TORCH
61	1	MILLER MODEL ARC REACH	70	1	59" X 118" X 36" HIGH DEMMLER STYLE
		SUITCASE 12 MIG WELDING POWER			WELDING TABLE WITH CLAMPS,
		SOURCE; S/N MK403079U, WITH 350	71	1	ANGLE PLATES AND HOLDDOWNS
		AMP MILLER MODEL XMT350 CC/CV	71	1	58" X 60" X 39" HIGH DEMMLER STYLE
		AUTO LINE WELDING POWER			WELDING TABLE WITH CLAMP AND
00	1	SOURCE; S/N LG390003A	70	1	ANGLE PLATES
62	1	350 AMP MILLER MODEL	72	1	58" X 60" X 35" HIGH DEMMLER STYLE
		SYNCROWAVE 350LX PORTABLE TIG			WELDING TABLE WITH CLAMPS AND
		WELDING POWER SOURCE; S/N LF317532	73	1	ADJUSTABLE ANGLE PLATES 400 AMP BERNARD BTB INDUSTRIAL
		LF31/332	73	1	MIG GUN
			74	1	1,000 AMP ARCAIR K4000 MANUAL
			/4	ı	GOUGING TORCH AND CABLE
			75	1	(LOT) TIG CABLES AND LINERS
			75	ı	(LOT) TIO OADELO AND LINENO



Equipment Located at: 441 S. Sheep Lane

Grantsville, Utah 84029

Auction Date: February 13, 2025

Lot	Qty.	Description	Lot	Qty.	Description
76	1	(LOT) WELDING HOOD AND SAFETY	94	1	10,000 LB. SOUTHWEST 48" X 48"
, 0	•	SHIELDS	0.	•	FLOOR SCALE; S/N LK-47, WITH
77	1	49" X 96" X 39" HIGH WITH 3/4" THICK			L'HAUS DEFENDER 3000 DIGITAL
		SOLID STEEL TOP PLATE EXTREME			READOUT HEAD
		DUTY WELDING STEEL WORKBENCH	95	1	5,000 LB. ULINE MODEL LP7620
		WITH 8" WILTON BENCH VISE			FLOOR SCALE; S/N 62636, WITH
		**SPECIAL NOTICE - DELAYED			O'HAUS DEFENDER, 3000 DIGITAL
		REMOVAL - PICKUP 2-21-25**			READOUT HEAD
78	1	(LOT) MISCELLANEOUS WELDING	96	1	2,000 LB. LOAD CAPACITY LIFT
		SUPPLIES			PRODUCTS, INC. MAX-LIFT TABLE
79	16	78" X 96" WELDING SAFETY			ELECTRIC LIFT TABLE
		CURTAINS	97	1	2,000 LB. CAPACITY GLOBAL
80	2	2 TON CAPACITY STRONGWAY HIGH			INDUSTRIAL ELECTRIC LIFT TABLE;
		POSITION HOIST STANDS			S/N N/A, 28" X 49" TABLE SIZE
81	6	ADJUSTABLE HEIGHT ROLLER AND	98	1	2,000 LB. CAPACITY BISHAMON
		PIPE STANDS			OPTIMUS LIFT2K ELECTRIC LIFT
82	6	ADJUSTABLE HEIGHT PIPE STANDS			TABLE; S/N N/A, 36" X 48" TABLE
		WITH (2) ROLLER STANDS			SIZE
83	1	12' ROCK RIVER MODEL RR-3033-12	99	1	ATI MODEL AND CAPACITY
	_	FIBERGLASS TRESTLE LADDER			UNKNOWN ELECTRIC / HYDRAULIC
84	1	10' LOUISVILLE FIBERGLASS STEP			TOTE TILT / LIFT TABLE; S/N N/A, 2
0.5		LADDER			HP ELECTRIC MOTOR, 3-PHASE,
85	1	6' DAVIDSON FIBERGLASS STEP			206/230/460 VOLTS, FOOT PEDAL
00	1	LADDER	100	1	CONTROL
86	1	6' ROCK RIVER FIBERGLASS STEP	100	1	INTERPACK MODEL USA2024-SB
07	1	LADDER			SEMI-AUTOMATIC TAPE CASE
87	1	4' WERNER FIBERGLASS STEP LADDER			SEALER; S/N TM09417G033, SINGLE PHASE, 115 VOLTS
88	1	3' ROCK RIVER FIBERGLASS STEP	101	1	INTERPACK MODEL USA2024-SB
00	1	LADDER	101	1	SEMI-AUTOMATIC TAPE CASE
89	1	3' ROCK RIVER FIBERGLASS STEP			SEALER; S/N TM09416M015, SINGEL
03	ı	LADDER			PHASE, 115 VOLTS
90	1	3' ROCK RIVER FIBERGLASS STEP	102	1	500 LB. CAPACITY GLOBAL
30	'	LADDER	102	'	INDUSTRIAL PORTABLE MANUAL
91	1	3' LITTLE GIANT ALUMINUM UTILITY			CABLE PALLET STACKER
01	•	LADDER	103	1	800 LB. CAPACITY VESTIL MODEL
92	2	HESSAIRE MODEL MC61V MOBILE	100	•	AIR-800-D-AIR PNEUMATIC LIFT
02	_	EVAPORATIVE COOLER			CART
93	2	STANDARD AIR INFRARED MODEL	104	1	MFG AND CAPACITY UNKNOWN
	_	SRP1600 WATT PORTABLE		-	MANUAL HYDRAULIC LIFT CART
		INFRARED EMMITERS	105	1	BANDING DISPENSER WITH TOOLS



Equipment Located at: 441 S. Sheep Lane

Grantsville, Utah 84029

Auction Date: February 13, 2025

Lot	Qty.	Description	Lot	Qty.	•
106	1	DEWALT PORTABLE GAS POWERED	119	1	SKID MISCELLANEOUS TWO AND
		PRESSURE WASHER			THREE CHANNEL CABLE
107	1	3 TON CAPACITY PORTABLE SERVICE			PROTECTORS
		JACK	120	8	38" X 58" OXFORD PLASTICS LOW PRO
108	3	MISCELLANEOUS TWO-WHEEL			15/10 TRENCH COVERS
		HAND TRUCKS	121	5	BOXES TIME CARD RACKS
109	1	4,000 LB. CAPACITY ECONO LIFT	122	1	SKID FIRE EXTINGUISHER CABINETS
		MODEL TRS40 ELECTRIC WALK-	123	1	SKID MISCELLANEOUS SIZE ULINE
		BEHIND PALLET STACKER; S/N			FOLDING LEG STEEL TABLES
		521117-1 **NEW 11-19-2020**, 42"	124	7	(2) REER MODEL FMC-B25 AND (5)
		FORKS, BUILT IN CHARGER			REER MODEL E052-4B-A EMITTER
110	1	4,000 LB. CAPACITY VESTIL MODEL			AND RECEIVER SAFETY CURTAINS
		RM4-2796 LONG FORK MANUAL	125	1	48" X 94" X 42" HIGH SHOP BUILT
		HYDRAULIC PALLET JACK, 96"			WELDED SHEET SHEET STEEL RACK
		FORKS	126	1	(LOT) MISCELLANEOUS SHOP
111	1	4,000 LB. CAPACITY VESTIL MODEL			SUPPORT EQUIPMENT WITH STEEL
		RM4-2796 LONG FORK MANUAL			SHELVING
		HYDRAULIC PALLET JACK, 96"	127	1	(LOT) SHOP SUPPLIES WITH TWO-
		FORKS			DOOR STORAGE CABINET
112	1	4,000 LB. CAPACITY VESTIL MODEL	128	1	(LOT) SHOP SUPPLIES WITH TWO-
		RM4-2796 LONG FORK MANUAL			DOOR STORAGE CABINET
		HYDRAULIC PALLET JACK, 96"	129	1	HUSKY EXTRA DEEP 46" / 9-DRAWER
		FORKS			MOBILE MAPLE TOP WORKBENCH
113	1	4,000 LB. CAPACITY VESTIL MODEL	130	1	INTERNATIONAL 7-DRAWER MOBILE
		RM4-2796 LONG FORK MANUAL			TOOL CART
		HYDRAULIC PALLET JACK, 96"	131	1	US GENERAL 5-DRAWER
		FORKS			INDUSTRIAL ROLLER CART
114	1	5,500 LB. CAPACITY EQUIPRITE	132	1	US GENERAL 5-DRAWER
		PALLET RACK, 48" FORKS			INDUSTRIAL ROLLER CART
115	1	5,500 LB. CAPACITY ULINE MODEL H-	133	4	RUBBERMAID UTILITY CARTS
		1043 PALLET TRUCK, 48" FORKS	134	1	34" X 48" X 31" HIGH STEEL WHEEL
116	1	(LOT) LOW PROFILE PIPE CARTS, DOG			HEAVY DUTY STEEL CART
		BONE CREEPERS	135	1	30" X 60" X 33" HIGH PNEUMATIC TIRE
117	1	(LOT) SAFETY CURTAINS, WELDING			STEEL CART
		BLANKS AND OIL ABSORBENT	136	3	45-1/2" X 45-1/2" X 8-1/2" HIGH ULINE
		CLOTH			LOW PROFILE OPEN BOTTOM CARTS
118	2	GOODMAN MFG MODEL CAPF3636B6	137	2	24" X 36" X 30" HIGH ULINE WELDED
		UPFLOW / DOWNFLOW A/C COILS			STEEL TABLES
		(BRAND NEW)	138	2	(1) 30" X 72" X 33-1/2" HIGH AND (1) 24"
					X 48" X 36" HIGH STEEL TABLES



Equipment Located at: 441 S. Sheep Lane

Grantsville, Utah 84029

Auction Date: February 13, 2025

Lot	Qty.	Description	Lot	Oty.	·
139	1	24 GALLON CAPACITY MODEL BJ24	149	1	(LOT) MISCELLANEOUS SIZE STEEL
		FLAMMABLE LIQUID SAFETY			TUBING, FLAT STOCK, CHANNEL AND
		STORAGE CABINET			ANGLE IRON **NO RACK - CONTENTS
140	1	32" DIAMETER INDUSTRIAL DUTY			ONLY**
		PEDESTAL AIR CIRCULATOR AND	150	1	SECTION 42" ARMS X 7' WIDE X 11'3"
		HILAND MODEL HIL-60845H-T TALL			HIGH SHOP BUILD WELDED SINGLE
		ADJUSTABLE INFRARED HEATER			SIDED CANTILEVER RACK **SPECIAL
141	1	(LOT) MISCELLANEOUS SHOP VACS			NOTICE - DELAYED REMOVAL -
142	1	(LOT) MISCELLANEOUS BAR STOCK,			PICKUP 2-21-25**
		THREADED ROD, PIPE AND SHEET	151	1	SECTION 48" X 102" X 96" HIGH TEAR
		STEEL CUT OFFS WITH SMALL SIZE			DROP STYLE ADJUSTABLE
		STORAGE BIN			STEPBEAM PALLET RACK
143	1	SECTION 5' DEEP X 23' LONG X 10'3"	152	1	SECTION 42" X 96" X 168" HIGH TEAR
		HIGH SHOP BUILT EXTREME DUTY			DROP STYLE ADJUSTABLE
		WELDED STEEL MULTI-LEVEL			STEPBEAM PALLET RACK WITH
		STORAGE RACK, WITH 30" HIGH POST			WIRE DECKING
		WELDED TO RACK SAFETY	153	1	MARVEL MODEL SERIES V-10A TILT
		BACKSTOPS			FRAME BAND SAW; S/N D-126910-W,
144	1	(LOT) MISCELLANEOUS SIZE AND			WITH (2) SECTIONS ROLLER
		TYPE METAL STOCK CONSISTING OF			CONVEYOR, POWER CLAMP, 3-
		ALUMINUM, STAINLESS AND STEEL	15 /		PHASE, 230 VOLTS
		VARIOUS SIZE **SPECIAL NOTICE -	154	1	DOALL MODEL C-916M HORIZONTAL
1/ 🗆	1	BEING SOLD BY LOT NOT WEIGHT**			BANDSAW; S/N 501-95816, WITH (2)
145	1	(LOT) MISCELLANEOUS SIZE STEEL			SECTIONS ROLLER CONVEYOR, 3-
		FLAT BAR, TUBING, CHANNEL,	100	1	PHASE, 230 VOLTS
		ANGLE IRON AND OTHER VARIOUS TYPES	155	1	3 HP BIRMINGHAM VERTICAL MILLING MACHINE; S/N 051740, WITH
146	2	45-1/2" X 49" X 32" HIGH HEAVY DUTY			NEWALL C-80 DIGITAL READ OUT,
140	Z	STEEL TRANSFER CARTS **SPECIAL			49" T-SLOTTED TABLE, ALIGN MODEL
		NOTICE - DELAY REMOVAL - PICKUP			AL-500S POWER TABLE FEED, 60-
		2-21-25**			4,200 RPMS
147	1	(LOT) MISCELLANEOUS SIZE STEEL	156	1	3 HP ACRA MODEL LCM-50 VERTICAL
177	1	AND ALUMINUM FLAT BAR, TUBING,	150	'	MILLING MACHINE; S/N 21132245
		CHANNEL, ANGLE IRON, OTHER			(NEW 11-2013), WITH NEWALL DP-700
		VARIOUS TYPES **NO RACK -			DIGITAL READ OUT, 50" T-SLOTTED
		CONTENTS ONLY**			TABLE, KURT AUTOMATIC DRAW
148	1	SECTION 3' ARMS X 20' X 11'3" HIGH			BAR, ALGIN MODEL AL-500P POWER
	•	SHOP BUILT WELDED SINGLE SIDED			TABLE FEED, 60-4,500 RPMS
		CANTILEVER RACK **SPECIAL			,,
		NOTICE - DELAYED REMOVAL -			
		PICKUP 2-21-25**			



Equipment Located at: 441 S. Sheep Lane

Grantsville, Utah 84029

Auction Date: February 13, 2025

		authenticity, description, weight, count, or i	measure of	tany of t	the lots specified herein.
Lot	Qty.	Description	Lot	Qty.	Description
157	1	WEBB MODEL 1733G GEARED HEAD	168	1	ULINE 6-STEP EASY 50 PORTABLE
		ENGINE LATHE; S/N MFG NO. B57057			WAREHOUSE LADDER, 24" STEPS,
		(NEW 4-1986), WITH SHARS SDS6-2V			450 MAX LOAD
		DIGITAL READ OUT, 2-1/2" THRU-	169	1	BALLYMORE 5-STEP PORTABLE
		HOLE, 32-1,800 SPINDLE RPMS,			WAREHOUSE LADDER, WITH 24" X 47"
		MOUNTED 8" 3-JAW CHUCK AND 10"			PLATFORM, 24" WIDE STEPS, 800 LB.
		4-JAW CHUCK, STEADY REST			MAX CAPACITY
158	2	TWO-WAY QUICK CHANGE TOOL	170	1	BALLYMORE 5-STEP PORTABLE
		HOLDER POST WITH (6)			WAREHOUSE LADDER, WITH 24" X 47"
		TOOLHOLDERS			PLATFORM, 24" WIDE STEPS, 800 LB.
159	1	24" X 80" X 85" HIGH SHOP BUILT			MAX CAPACITY
		EXTREME DUTY MULTI-LEVEL	171	1	ULINE 5-STEP EASY 50 PORTABLE
		WELDED STEEL STORAGE RACK			WAREHOUSE LADDER, 24" WIDE
159A	1	****GO OUT TO FAB SHOP - TURN			STEPS, 800 LB. MAX LOAD
		LEFT - GO TO FAR END OF	172	1	ULINE 5-STEP EASY 50 PORTABLE
		BUILDING****			WAREHOUSE LADDER, 24" WIDE
160	1	TRI-ARC 8-STEP PORTABLE			STEPS, 800 LB. MAX LOAD
		WAREHOUSE LADDER WITH 25" X 40"	173	1	ULINE 4-STEP EASY 50 PORTABLE
		WORK PLATFORM, 300 LB. CAPACITY			WAREHOUSE LADDER, 24" WIDE
161	1	TRI-ARC 8-STEP PORTABLE			STEPS, 800 LB. MAX LOAD
		WAREHOUSE LADDER WITH 25" X 40"	174	1	ULINE 4-STEP EASY 50 PORTABLE
		WORK PLATFORM, 300 LB.			WAREHOUSE LADDER, 24" WIDE
		CAPACITY, 24" WIDE STEPS			STEPS, 800 LB. MAX LOAD
162	1	ULINE 12-STEP EASY 50 PORTABLE	175	1	ULINE 4-STEP EASY 50 PORTABLE
		WAREHOUSE LADDER, 450 LB. MAX			WAREHOUSE LADDER, 24" WIDE
		LOAD, 24" WIDE STEPS			STEPS, 800 LB. MAX LOAD
163	1	ULINE 9-STEP EASY 50 PORTABLE	176	1	ULINE 4-STEP EASY 50 PORTABLE
		WAREHOUSE LADDER, 450 LB. MAX			WAREHOUSE LADDER, 24" WIDE
		LOAD, 24" WIDE STEPS			STEPS, 800 LB. MAX LOAD
164	1	ULINE 7-STEP EASY 50 PORTABLE	177	1	24" WIDE BELT X 17' LONG (APPROX.)
		WAREHOUSE LADDER, 36" WIDE			HYTROL INCLINE ELECTRIC POWER
		STEPS, 800 LB. MAX LOAD			CONVEYOR ON SHOP BUILT BASE
165	1	ULINE 6-STEP EASY 50 PORTABLE			WITH 10" X 14'8" LONG SIDE MOUNTED
		WAREHOUSE LADDER, 24" STEPS,			ROLLER CONVEYOR, 84" DISCHARGE
		450 MAX LOAD			HEIGHT
166	1	ULINE 6-STEP EASY 50 PORTABLE	178	1	24" WIDE BELT X 17' LONG (APPROX.)
		WAREHOUSE LADDER, 24" STEPS,			HYTROL INCLINE ELECTRIC POWER
		450 MAX LOAD			CONVEYOR ON SHOP BUILT BASE
167	1	ULINE 6-STEP EASY 50 PORTABLE			WITH 10" X 14'8" LONG SIDE MOUNTED
		WAREHOUSE LADDER, 24" STEPS,			ROLLER CONVEYOR, 84" DISCHARGE
		450 MAX LOAD			HEIGHT



Equipment Located at: 441 S. Sheep Lane

Grantsville, Utah 84029

Auction Date: February 13, 2025

1 4	0+	authenticity, description, weight, count, or r		•	·
<u>Lot</u>	Oty.	Description	<u>Lot</u>	Oty.	
179	ı	24" WIDE BELT X 17' LONG (APPROX.)	187	ı	SKID MISCELLANEOUS SIZE
		HYTROL INCLINE ELECTRIC POWER			POLYPROPYLENE FLAT TOP
		CONVEYOR ON SHOP BUILT BASE	400		CONVEYOR BELTS
		WITH 10" X 14'8" LONG SIDE MOUNTED	188	1	SKID MISCELLANEOUS SIZE
		ROLLER CONVEYOR, 84" DISCHARGE			FABRICATED CONVEYOR BELT
		HEIGHT	189	1	SKID MISCELLANEOUS CONVEYOR
180	1	24" WIDE BELT X 12' LONG ELECTRIC			ROLLERS
		POWER VARIABLE SPEED INCLINE	190	1	CRATE MISCELLANEOUS SIZE
		BELT CONVEYOR ON CUSTOM BUILT			CONVEYOR ROLLERS
		FRAME, 70" DISCHARGE HEIGHT	191	26	2" DIAMETER (APPROX.) X 83" LONG
181	1	24" WIDE BELT X 13'7" LONG			CONVEYOR ROLLERS
		(APPROX.) ELECTRIC POWER	192	4	SECTIONS 22" WIDE X 84" LONG
		VARIABLE SPEED CLEATED BELT			ROLLER CONVEYOR
		INCLINE CONVEYOR ON CUSTOM	193	25	2-1/2" DIAMETER (APPROX.) X 86"
		BUILT FRAME, 85" DISCHARGE			LONG CONVEYOR ROLLERS
		HEIGHT	194	2	SKIDS 26 PER BOX 2-1/2" DIAMETER
182	1	24" WIDE BELT X 14'6" LONG			(APPROX.) X 86" LONG BRAND NEW
		(APPROX.) ELECTRIC POWER			CONVEYOR ROLLERS
		VARIABLE SPEED CLEATED BELT	195	1	CRATE WITH (25) APPROX. 2-1/2"
		INCLINE CONVEYOR ON CUSTOM			DIAMETER (APPROX.) X 86" LONG
		BUILT FRAME, 90" DISCHARGE			CONVEYOR ROLLERS
		HEIGHT	196	1	SKID MISCELLANEOUS CONVEYOR
183	1	35" WIDE BELT X 12' LONG (APPROX.)			ROLLERS
		ELECTRIC POWER VARIABLE SPEED	197	1	CRATE MISCELLANEOUS CONVEYOR
		INCLINE BELT CONVEYOR ON			ROLLERS
		CUSTOM BUILT FRAME, 66"	198	1	OPEN
		DISCHARGE HEIGHT	199	1	OPEN
184	2	SECTIONS 16" WIDE BELT X 6'6" LONG	200	1	OPEN
		HYTROL MODEL PC ELECTRIC	201	1	100 HP MARATHON BLUE MAX MODEL
		POWER CLEATED BELT INCLINE			UVF 405THFS8046BR MOTOR (NEW)
		CONVEYOR **BRAND NEW - NEVER	202	1	75 HP CROWN TRITON MODEL
		INSTALLED**			HLS36SPR04U3 MOTOR (NEW)
185	1	SECTIONS 20" WIDE ROLLERS X 120"	203	1	42 KW POWER JET MODEL
		LONG HYTROL MODEL 190-NSP			PJM2525515F03 AC SERVO MOTOR
		ADJUSTABLE HEIGHT ELECTRIC			(NEW)
		POWER ROLLER CONVEYOR **BRAND	204	1	42 KW POWER JET MODEL
		NEW - NEVER INSTALLED**		·	PJM2525515F03 AC SERVO MOTOR
186	1	CRATE MISCELLANEOUS CONVEYOR			(USED)
	•	ROLLERS	205	1	5 HP TOSHIBA MODEL 0056SDSR41A-
				•	P MOTOR (NEW)

Equipment Located at: 441 S. Sheep Lane

Grantsville, Utah 84029

Auction Date: February 13, 2025

		authenticity, description, weight, count, or i	measure of	any of	·
Lot	Qty.	Description	Lot	Qty.	Description
206	1	15 HP BALDOR SUPER E MODEL	222	1	15 HP BALDOR EJMM3314T MOTOR
		EM2513T-8 MOTOR (USED)			WITH GOULDS WATER TECH MODEL
207	1	7.5 SEW-EURODRIVE MODEL DRN-			3656 PUMP (NEW)
		32S2/FF/LN MOTOR (NEW)	223	1	5 HP AMT MODEL 2875-95
208	1	5 HP LANDMARK MODEL LMPJM0052			CENTRIFUGAL PUMP (USED)
		MOTOR (NEW)	224	1	5 HP AMT MODEL 2875-95
209	1	5.5 KW DONGGUAN JULIN MODEL			CENTRIFUGAL PUMP (USED)
		132S-4 3-PHASE INDUCTION MOTOR	225	1	5 HP AMT MODEL 2874-95
		(NEW)			CENTRIFUGAL PUMP (USED)
210	1	5.5 KW DONGGUAN JULIN MODEL	226	2	3 HP BALDOR MOTORS WITH PUMPS
		132S-4 3-PHASE INDUCTION MOTOR			(USED)
		(NEW)	227	1	10 HP BALDOR MODEL EM3312T
211	1	1-1/2 HP IRON HORSE MODEL MTRP-			MOTOR WITH CINCINNATI FAN
		1P5-3BD18 3-PHASE INDUCTION			MODEL PB-15A PRESSURE BLOWER
		MOTOR (NEW)			(NEW)
212	1	3 KW BAUMULLER MODEL VDE0530	228	1	10 HP BALDOR MODEL EM3312T
		MOTOR WITH BLOWER (USED)			MOTOR WITH CINCINNATI FAN
213	1	10 HP BALDOR MODEL EMZ332T			MODEL PB-15A PRESSURE BLOWER
		MOTOR WITH AMERICAN-MARSH			(NEW)
		TYPE REI PUMP, SIZE 4 X 4-16 (NEW)	229	1	10 HP BALDOR MODEL EM3312T
214	1	10 HP BALDOR MODEL EMZ332T			MOTOR WITH CINCINNATI FAN
		MOTOR WITH AMERICAN-MARSH			MODEL PB-15A PRESSURE BLOWER
		TYPE REI PUMP, SIZE 4 X 4-16 (NEW)			(NEW)
215	1	10 HP BALDOR MODEL EMZ332T	230	1	10 HP BALDOR MODEL EM3312T
		MOTOR WITH AMERICAN-MARSH			MOTOR WITH CINCINNATI FAN
		TYPE REI PUMP, SIZE 4 X 4-16 (NEW)			MODEL PB-15A PRESSURE BLOWER
216	1	5 HP AMT MODEL 1626-352-00 MOTOR	074		(NEW)
0.45		(USED)	231	1	10 HP NORD TYPE 9032-1AZ-112MP/4
217	1	3 HP BALDOR MODEL CEM3704T	070		GEAR DRIVE (NEW)
		MOTOR WITH OBERDORFER MODEL	232	I	10 HP NORD TYPE 9032-1AZ-112MP/4
010	1	OBN99OR PUMP (NEW)	077	1	GEAR DRIVE (NEW)
218	1	3 HP BALDOR MODEL CEM3704T	233	1	5 HP NORD TYPE 9032-1AZ-112MP/4
010	4	MOTOR(NEW)	07/	4	GEAR DRIVE (NEW)
219	1	3 HP BALDOR MODEL CEM3704T	234	1	5 HP NORD TYPE 9032-1AZ-112MP/4
000	4	MOTOR(NEW)	0.75	4	GEAR DRIVE (NEW)
220	1	15 HP BALDOR EJMM3314T MOTOR	235	1	5 HP NORD TYPE 9032-1AZ-112MP/4
		WITH GOULDS WATER TECH MODEL	070	1	GEAR DRIVE (NEW)
001	1	3656 PUMP (NEW)	236	1	5 HP NORD TYPE 9032-1AZ-112MP/4
221	1	15 HP BALDOR EJMM3314T MOTOR	077	1	GEAR DRIVE (NEW)
		WITH GOULDS WATER TECH MODEL	237	1	3 HP NORD TYPE 9032-1AZ-112MP/4
		3656 PUMP (NEW)			GEAR DRIVE (NEW)



Equipment Located at: 441 S. Sheep Lane

Grantsville, Utah 84029

Auction Date: February 13, 2025

_	_	authenticity, description, weight, count, or		•	·
Lot	Qty.	Description	Lot	Qty.	
238	1	10 HP NORD TYPE 9032-1AZ-112MP/4	253	1	3 HP / 5 HP IRONHORSE MODEL HGR-
		GEAR DRIVE (USED)			87-040-C HELICAL GEARBOX WITH
239	1	10 HP NORD TYPE 9032-1AZ-112MP/4			REDUCER (NEW)
		GEAR DRIVE (USED)	254	1	ROPER MODEL 3648GHBFRV HEAVY
240	1	(LOT)(3)10 HP AND(1)5 HP NORD			DUTY PETROLEUM TRANSFER GEAR
		9032.1AZ-132M/4 GEAR DRIVES, (1) 2			PUMP(NEW)
		HP AND (1) .5HP NORD MOTORS, AND	255	1	EATON MODEL 5423-832 MANUAL
		(4) 6" DIAMETER X 96" ROLLERS			PAD A-PAD PUMP (NEW)
241	1	5 HP MARATHON MODEL	256	1	OILGEAR MODEL PVG-1010-FIUV-
		TVC184THFW7726AAM MOTOR WITH			LSFZ-P-C3WSN-1637 PVG PUMP
		KEB 0717870-930U GEAR DRIVE AND			(NEW)
		IRONHORSE IN-LINE HELICAL	257	1	50 HP DURA PULSE MODEL GS3-4050
		REDUCER(USED)			AC DRIVE; S/N H19270019 (NEW)
242	1	1 HP HYUDAI CROWN TRITON MODEL	258	1	INOVANCE MODEL IS580T100-R1-BJI
		HLS143PR235 MOTOR WITH GEAR			SERVO DRIVE; S/N
		DRIVE (NEW)			013100084M700042
243	1	1 HP HYUDAI CROWN TRITON MODEL	259	1	INOVANCE MODEL IS50T070-R1-BJI
		HLS143PR235 MOTOR WITH GEAR			SERVO DRIVE; S/N
		DRIVE (NEW)			013100044M600028
244	1	1 HP HYUDAI CROWN TRITON MODEL	260	1	INOVANCE MODEL IS50T070-R1-BJI
		HLS143PR235 MOTOR WITH GEAR			SERVO DRIVE; S/N
		DRIVE (NEW)			013100044M600031
245	1	1 HP NORD MODEL SK80L/4 MOTOR	261	2	DOMINATOR PUMP AB MODEL
		WITH GEAR DRIVE (NEW)			P35PBTZ01PNEUMATIC DIAPHRAGM
246	1	1 HP NORD MODEL SK80L/4 MOTOR			PUMPS, (1) NEW, (1) USED
		WITH GEAR DRIVE (NEW)	262	5	SKIDS PARKER HEAVY DUTY
247	1	1 HP SEW EURODRIVE MODEL			HYDRAULIC CYLINDERS
		SF47/DRN80M4 HELICAL-WORM	263	3	91" X 88" X 2" ALUMINUM BOOSTER
		GEARMOTOR (NEW)			PLATE, DRILLED AND TAPPED
248	1	1 HP SEW EURODRIVE MODEL	264	1	6' ULINE ALUMINUM DOCK PLATE
		SF47/DRN80M4 HELICAL-WORM	265	1	10 HP HEATER / BLOWER SYSTEM
		GEARMOTOR(NEW)	266	1	2.2KW DUST COLLECTOR SYSTEM
249	1	1 HP SEW EURODRIVE MODEL	267	2	ELECTRICAL AND CONTROL
		SF47/DRN80M4 HELICAL-WORM			CABINETS
		GEARMOTOR (NEW)	268	1	75 KVA GENERAL ELECTRIC MODEL
250	1	1 HP SEW EURODRIVE MODEL			9T23B3874 CLASS AA DRY TYPE
		SF47/DRN80M4 HELICAL-WORM			TRANSFORMER
		GEARMOTOR (NEW)	269	1	15 KVA SQUARE D MODEL 15T3H
251	14	1 HP NORD SK80LP/4 MOTOR (NEW)			SORGEL THREE-PHASE
252	17	NORD MODEL IS150DHJ-H56C GEAR			TRANSFORMER
		DRIVE (NEW)			



Equipment Located at: 441 S. Sheep Lane

Grantsville, Utah 84029

Auction Date: February 13, 2025

Lot Oty. Description 270 2 SKIDS MISCELLANEOUS VIDEO, ELECTRONICS AND CABLE 271 4 SKIDS MISCELLANEOUS VALUES 272 2 7-FAN BLADES (NEW) 273 2 SKIDS DRIVE BELTS AND PULLIES 274 1 (LOT) MISCELLANEOUS CONTROL BOXES, AIR VALVE UNITS, AND CYLINDERS 275 1 (LOT) MISCELLANEOUS WHEELS 276 1 PORTABLE BOX SUPPORT 277 11 SKIDS MISCELLANEOUS MACHINE PARTS, HARDWARE AND OTHER 278 1 (LOT) MISCELLANEOUS BRASS AND 279 1 STEEL HYDRAULIC GATE VALVE WITH FITTINGS 280 1 (LOT) DUCT WORK 280 280 4 PORTA-COOL 2000 COOLING FANS *OUT OF SERVICE** *OUT OF SERVICE** *OUT OF SERVICE** **OUT			authenticity, description, weight, count, or		•	·
ELECTRONICS AND CABLE 271 4 SKIDS MISCELLANEOUS VALUES 272 2 7' FAN BLADES (NEW) 273 2 SKIDS DRIVE BELTS AND PULLIES 274 1 (LOT) MISCELLANEOUS CONTROL BOXES, AIR VALVE UNITS, AND CYLINDERS 275 1 (LOT) MISCELLANEOUS WHEELS 276 1 PORTABLE BOX SUPPORT 277 11 SKIDS MISCELLANEOUS MACHINE PARTS, HARDWARE AND OTHER 278 1 (LOT) MISCELLANEOUS BRASS AND COMPOSIT VALVES, PIPE, CONNECTIONS AND PIPE 279 1 STEEL HYDRAULIC GATE VALVE WITH FITTINGS 291 1 WHOTH AND CONTROL WITH FITTINGS 292 1 TOTAL CONTROL WITH FITTINGS 293 1 T8" HELIX MODEL RD-2 MATTRESS SPRING UNBALER; S/N 1051 294 1 HOLTEC AUTOMATIC MATTRESS STACKER/ UNSTACKER, 79" WIDE BELT CONVEYOR, 150" LENGTH, 96"	Lot	Qty.	Description	Lot	Qty.	Description
271 4 SKIDS MISCELLANEOUS VALUES 272 2 7' FAN BLADES (NEW) 273 2 SKIDS DRIVE BELTS AND PULLIES 274 1 (LOT) MISCELLANEOUS CONTROL BOXES, AIR VALVE UNITS, AND CYLINDERS 275 1 (LOT) MISCELLANEOUS WHEELS 276 1 PORTABLE BOX SUPPORT 277 11 SKIDS MISCELLANEOUS MACHINE PARTS, HARDWARE AND OTHER 278 1 (LOT) MISCELLANEOUS BRASS AND COMPOSIT VALVES, PIPE, CONNECTIONS AND PIPE 279 1 STEEL HYDRAULIC GATE VALVE WITH FITTINGS 280 1 (LOT) EATON B-LINE KWIKRAIL 281 1 (LOT) EATON B-LINE KWIKRAIL 282 4 PORTA-COOL 2000 COOLING FANS 290 1 (LOT) EATON B-LINE KWIKRAIL 290 1 89" WIDE X 12" HIGH QUARRATA FORNITURE MODEL X12" HIG	270	2		289	1	
272 2 7'FAN BLADES (NEW) 290 1 89" WIDE X 12" HIGH QUARRATA 273 2 SKIDS DRIVE BELTS AND PULLIES 274 1 (LOT) MISCELLANEOUS CONTROL BOXES, AIR VALVE UNITS, AND CYLINDERS 275 1 (LOT) MISCELLANEOUS WHEELS 276 1 PORTABLE BOX SUPPORT 277 11 SKIDS MISCELLANEOUS MACHINE PARTS, HARDWARE AND OTHER 278 1 (LOT) MISCELLANEOUS BRASS AND COMPOSIT VALVES, PIPE, CONNECTIONS AND PIPE 279 1 STEEL HYDRAULIC GATE VALVE WITH FITTINGS 280 1 (LOT) BATON B-LINE KWIKRAIL 281 1 (LOT) EATON B-LINE KWIKRAIL 282 4 PORTA-COOL 2000 COOLING FANS 290 1 89" WIDE X 12" HIGH QUARRATA FORNITURE MODEL SAHARA IRD INFRA-RED DRYING TUNNEL; S/N IRDO058, 80" TUNNEL LENGTH (NEW 2018) 2018 2018 2018 2018 2018 2018 2018 2018						
273 2 SKIDS DRIVE BELTS AND PULLIES 274 1 (LOT) MISCELLANEOUS CONTROL BOXES, AIR VALVE UNITS, AND CYLINDERS 275 1 (LOT) MISCELLANEOUS WHEELS 276 1 PORTABLE BOX SUPPORT 277 11 SKIDS MISCELLANEOUS MACHINE PARTS, HARDWARE AND OTHER 278 1 (LOT) MISCELLANEOUS BRASS AND COMPOSIT VALVES, PIPE, CONNECTIONS AND PIPE 279 1 STEEL HYDRAULIC GATE VALVE WITH FITTINGS 280 1 (LOT) BATON B-LINE KWIKRAIL 282 4 PORTA-COOL 2000 COOLING FANS FORNITURE MODEL SAHARA IRD INFRA-RED DRYING TUNNEL; S/N IRDO058, 80" TUNNEL LENGTH (NEW 2018) 20						· · · · · · · · · · · · · · · · · · ·
274 1 (LOT) MISCELLANEOUS CONTROL BOXES, AIR VALVE UNITS, AND CYLINDERS 2018) 275 1 (LOT) MISCELLANEOUS WHEELS 276 1 PORTABLE BOX SUPPORT 277 11 SKIDS MISCELLANEOUS MACHINE PARTS, HARDWARE AND OTHER 278 1 (LOT) MISCELLANEOUS BRASS AND COMPOSIT VALVES, PIPE, CONNECTIONS AND PIPE 279 1 STEEL HYDRAULIC GATE VALVE WITH FITTINGS 291 1 (LOT) BELL MODEL RD-2 MATTRESS 280 1 (LOT) DUCT WORK 281 1 (LOT) EATON B-LINE KWIKRAIL 282 4 PORTA-COOL 2000 COOLING FANS IRDOO57, 80" TUNNEL LENGTH (NEW 2018) FORNITURE MODEL SAHARA IRD INFRA-RED DRYING TUNNEL; S/N IRDOO58, 80" TUNNEL LENGTH (NEW 2018)				290	1	•
BOXES, AIR VALVE UNITS, AND CYLINDERS 275 1 (LOT) MISCELLANEOUS WHEELS 291 1 89" WIDE X 12" HIGH QUARRATA 276 1 PORTABLE BOX SUPPORT 277 11 SKIDS MISCELLANEOUS MACHINE PARTS, HARDWARE AND OTHER 278 1 (LOT) MISCELLANEOUS BRASS AND COMPOSIT VALVES, PIPE, CONNECTIONS AND PIPE 279 1 STEEL HYDRAULIC GATE VALVE WITH FITTINGS 291 1 (LOT) DUCT WORK 281 1 (LOT) EATON B-LINE KWIKRAIL CABLE TRAY 292 1 HODOST, 80" TUNNEL LENGTH (NEW 2018) 1 RD0057, 80" TUNNEL LENGTH (NEW 2018) 1 NFRA-RED DRYING TUNNEL; S/N INFRA-RED DRYING TUNNEL LENGTH (NEW 2018) 2018) 2018) 2018) 2018) 2018 2018 2018 2018 2018 2018 2018 2018		_				
CYLINDERS 275 1 (LOT) MISCELLANEOUS WHEELS 276 1 PORTABLE BOX SUPPORT 277 11 SKIDS MISCELLANEOUS MACHINE PARTS, HARDWARE AND OTHER 278 1 (LOT) MISCELLANEOUS BRASS AND COMPOSIT VALVES, PIPE, CONNECTIONS AND PIPE 279 1 STEEL HYDRAULIC GATE VALVE WITH FITTINGS 280 1 (LOT) DUCT WORK 281 1 (LOT) EATON B-LINE KWIKRAIL CABLE TRAY 291 1 89" WIDE X 12" HIGH QUARRATA 291 1 89" WIDE X 12" HIGH QUARRATA FORNITURE MODEL SAHARA IRD INFRA-RED DRYING TUNNEL; S/N IRD0058, 80" TUNNEL LENGTH (NEW 2018) 2018) 2018) 2018) 2018) 2018) 2018 2018 2019 1 54" X 30" EDGE SWEETS MODEL WHDS-54S HORIZONTAL FOAM BAND 2018 2018 2018 2018 2018 2018 2018 2018	274	1	(LOT) MISCELLANEOUS CONTROL			
275 1 (LOT)MISCELLANEOUS WHEELS 291 1 89" WIDE X 12" HIGH QUARRATA 276 1 PORTABLE BOX SUPPORT FORNITURE MODEL SAHARA IRD 277 11 SKIDS MISCELLANEOUS MACHINE PARTS, HARDWARE AND OTHER 278 1 (LOT)MISCELLANEOUS BRASS AND COMPOSIT VALVES, PIPE, CONNECTIONS AND PIPE 279 1 STEEL HYDRAULIC GATE VALVE WITH FITTINGS 290 1 (LOT) DUCT WORK 281 1 (LOT) EATON B-LINE KWIKRAIL CABLE TRAY 291 1 89" WIDE X 12" HIGH QUARRATA FORNITURE MODEL X 12" HIGH QUARRATA FORNITURE MODEL X 12" HIGH QUARRATA FORNITURE MODEL SAHARA IRD INFRA-RED DRYING TUNNEL; S/N IRD0058, 80" TUNNEL LENGTH (NEW 2018) 2018) 2018) 2018 201 54" X 30" EDGE SWEETS MODEL WHDS-54S HORIZONTAL FOAM BAND SAW; S/N 5259, CONTROLS SAW; S/N 5259, CONTROLS SPRING UNBALER; S/N 1051 ATTEM STACKER, 79" WIDE 282 4 PORTA-COOL 2000 COOLING FANS BELT CONVEYOR, 150" LENGTH, 96"						•
276 1 PORTABLE BOX SUPPORT 277 11 SKIDS MISCELLANEOUS MACHINE PARTS, HARDWARE AND OTHER 278 1 (LOT) MISCELLANEOUS BRASS AND COMPOSIT VALVES, PIPE, CONNECTIONS AND PIPE 279 1 STEEL HYDRAULIC GATE VALVE WITH FITTINGS 280 1 (LOT) DUCT WORK 281 1 (LOT) EATON B-LINE KWIKRAIL CABLE TRAY 282 4 PORTA-COOL 2000 COOLING FANS FORNITURE MODEL SAHARA IRD INFRA-RED DRYING TUNNEL; S/N IRD0058, 80" TUNNEL LENGTH (NEW 2018) 2018) 2018) 2018 2018 2018 201 54" X 30" EDGE SWEETS MODEL WHDS-54S HORIZONTAL FOAM BAND SAW; S/N 5259, CONTROLS SPRING UNBALER; S/N 1051 294 1 HOLTEC AUTOMATIC MATTRESS STACKER/ UNSTACKER, 79" WIDE BELT CONVEYOR, 150" LENGTH, 96"						,
277 11 SKIDS MISCELLANEOUS MACHINE PARTS, HARDWARE AND OTHER 278 1 (LOT) MISCELLANEOUS BRASS AND COMPOSIT VALVES, PIPE, CONNECTIONS AND PIPE 279 1 STEEL HYDRAULIC GATE VALVE WITH FITTINGS 280 1 (LOT) DUCT WORK 281 1 (LOT) EATON B-LINE KWIKRAIL CABLE TRAY 282 4 PORTA-COOL 2000 COOLING FANS INFRA-RED DRYING TUNNEL; S/N IRD0058, 80" TUNNEL LENGTH (NEW 2018) 2018) 2018) 2018) 2018) 2018 SAW; S/N 5259, CONTROLS SAW; S/N 5259, CONTROLS SPRING UNBALER; S/N 1051 294 1 HOLTEC AUTOMATIC MATTRESS STACKER/ UNSTACKER, 79" WIDE BELT CONVEYOR, 150" LENGTH, 96"		1		291	1	
PARTS, HARDWARE AND OTHER IRD0058, 80" TUNNEL LENGTH (NEW 2018) COMPOSIT VALVES, PIPE, 292 1 54" X 30" EDGE SWEETS MODEL WHDS-54S HORIZONTAL FOAM BAND SAW; S/N 5259, CONTROLS WITH FITTINGS 293 1 78" HELIX MODEL RD-2 MATTRESS SPRING UNBALER; S/N 1051 280 1 (LOT) DUCT WORK SPRING UNBALER; S/N 1051 281 1 (LOT) EATON B-LINE KWIKRAIL 294 1 HOLTEC AUTOMATIC MATTRESS CABLE TRAY STACKER, 79" WIDE BELT CONVEYOR, 150" LENGTH, 96"		-				
278 1 (LOT) MISCELLANEOUS BRASS AND COMPOSIT VALVES, PIPE, CONNECTIONS AND PIPE 292 1 54" X 30" EDGE SWEETS MODEL WHDS-54S HORIZONTAL FOAM BAND SAW; S/N 5259, CONTROLS WITH FITTINGS 293 1 78" HELIX MODEL RD-2 MATTRESS SPRING UNBALER; S/N 1051 294 1 HOLTEC AUTOMATIC MATTRESS CABLE TRAY STACKER, 79" WIDE 282 4 PORTA-COOL 2000 COOLING FANS BELT CONVEYOR, 150" LENGTH, 96"	277	11	SKIDS MISCELLANEOUS MACHINE			
COMPOSIT VALVES, PIPE, CONNECTIONS AND PIPE THE STEEL HYDRAULIC GATE VALVE WITH FITTINGS THE STEEL HYDRAULIC GATE VALVE SAW; S/N 5259, CONTROLS SAW; S/N 5259, CONTROLS SPRING UNBALER; S/N 1051 SPRING UNBALER; S/N 1051 THE STACKER/ UNSTACKER, 79" WIDE			PARTS, HARDWARE AND OTHER			•
CONNECTIONS AND PIPE The street hydraulic gate valve and same street that the street hydraulic gate valve and same street that the street hydraulic gate valve and same street that the street hydraulic gate valve and same same street that the street hydraulic gate valve and same same street hydraulic gate valve and same same street hydraulic gate valve and same same same same street hydraulic gate valve and same same same same same same same same	278	1	(LOT) MISCELLANEOUS BRASS AND			2018)
279 1 STEEL HYDRAULIC GATE VALVE WITH FITTINGS 293 1 78" HELIX MODEL RD-2 MATTRESS SPRING UNBALER; S/N 1051 281 1 (LOT) EATON B-LINE KWIKRAIL CABLE TRAY 282 4 PORTA-COOL 2000 COOLING FANS SAW; S/N 5259, CONTROLS SPRING UNBALER; S/N 1051 HOLTEC AUTOMATIC MATTRESS STACKER/ UNSTACKER, 79" WIDE BELT CONVEYOR, 150" LENGTH, 96"				292	1	54" X 30" EDGE SWEETS MODEL
WITH FITTINGS 293 1 78" HELIX MODEL RD-2 MATTRESS SPRING UNBALER; S/N 1051 281 1 (LOT) EATON B-LINE KWIKRAIL CABLE TRAY 282 4 PORTA-COOL 2000 COOLING FANS 293 1 78" HELIX MODEL RD-2 MATTRESS SPRING UNBALER; S/N 1051 4 HOLTEC AUTOMATIC MATTRESS STACKER/ UNSTACKER, 79" WIDE BELT CONVEYOR, 150" LENGTH, 96"			CONNECTIONS AND PIPE			WHDS-54S HORIZONTAL FOAM BAND
280 1 (LOT) DUCT WORK SPRING UNBALER; S/N 1051 281 1 (LOT) EATON B-LINE KWIKRAIL 294 1 HOLTEC AUTOMATIC MATTRESS CABLE TRAY STACKER/ UNSTACKER, 79" WIDE 282 4 PORTA-COOL 2000 COOLING FANS BELT CONVEYOR, 150" LENGTH, 96"	279	1	STEEL HYDRAULIC GATE VALVE			
281 1 (LOT) EATON B-LINE KWIKRAIL 294 1 HOLTEC AUTOMATIC MATTRESS CABLE TRAY STACKER/ UNSTACKER, 79" WIDE 282 4 PORTA-COOL 2000 COOLING FANS BELT CONVEYOR, 150" LENGTH, 96"				293	1	
CABLE TRAY STACKER/ UNSTACKER, 79" WIDE PORTA-COOL 2000 COOLING FANS BELT CONVEYOR, 150" LENGTH, 96"		1	(LOT) DUCT WORK			SPRING UNBALER; S/N 1051
282 4 PORTA-COOL 2000 COOLING FANS BELT CONVEYOR, 150" LENGTH, 96"	281	1	•	294	1	HOLTEC AUTOMATIC MATTRESS
·						STACKER/ UNSTACKER, 79" WIDE
OUT OF SERVICE LIFT HEIGHT, CONTROL PANEL	282	4				
·						
283 3 SKIDS MISCELLANEOUS 295 1 EAGLE PACKAGING MODEL POPLOK	283	3	SKIDS MISCELLANEOUS	295	1	
POLYCARBONATE SHEETS AND AHL-104 TRAY FORMER; S/N 18473						•
PANELS 296 1 84" X 90" SHOP MADE AIR TABLE						
284 3 SKIDS DISASSEMBLED OFFICE 297 1 APER MODEL AXL-ICT RAIL GLUING	284	3	SKIDS DISASSEMBLED OFFICE	297	1	
CUBICLES MACHINE; S/N 161104, 6" WIDE X 144"						·
285 1 OPEN CONVEYOR		1				
286 1 C3 MATTRESS PASS THRU GLUE 297A 2 58" - 78" WITH EXTENSION X 72" HD	286	1		297A	2	
SPREADER ROLLERS, 96" WIDE, STEEL TABLES						
CONTROL PANEL, INGRESS AND 298 1 160 TON TRANE MODEL RTWD-16F				298	1	
EGRESS CONVEYOR (2019) HELICAL ROTARY WATER-COOLED			• • •			
287 1 C3 MATTRESS PASS THRU GLUE LIQUID CHILLER; S/N U19J04903,	287	1				LIQUID CHILLER; S/N U19J04903,
SPREADER ROLLERS, 96" WIDE, DUAL COMPRESSOR, 134A			SPREADER ROLLERS, 96" WIDE,			DUAL COMPRESSOR, 134A
CONTROL PANEL, INGRESS AND REFRIGERANT, 7,914 HOURS (NEW						REFRIGERANT, 7,914 HOURS (NEW
EGRESS CONVEYOR (2019) 2019)			• • •			2019)
288 1 C3 MATTRESS ELECTRIC SCREW	288	1				
TYPE COMPRESSION STATION						
(TAMPER), 98" WIDE (NEW 2019)			(TAMPER), 98" WIDE (NEW 2019)			

Equipment Located at: 441 S. Sheep Lane

Grantsville, Utah 84029

Auction Date: February 13, 2025

	0-	authenticity, description, weight, count, or		•	·
Lot	Oty.	Description 100 TONE TONE MODEL DEWIN 105	Lot	Oty.	
299	7	160 TON TRANE MODEL RTWD-16F	308	1	100 HP GARDNER DENVER MODEL
		HELICAL ROTARY WATER-COOLED			ST75-100G2B AIR COMPRESSOR; S/N
		LIQUID CHILLER; S/N U19L05480,	700	1	5641842, 15,124 HOURS (NEW 2019)
		DUAL COMPRESSOR, 134A	309	1	34.4 BHP SULLAIR MODEL 2209AC
		REFRIGERANT, 7,718 HOURS (NEW			AIR COMPRESSOR; S/N 201411210012,
700	1	2019)	710	1	39,750 HOURS (2014)
300	1	CONAIR MODEL S-GFD-090.ID/2X4 V-	310	1	33.0 BHP SULLAIR MODEL 2209VAC
		SHAPED DRY COOLER; S/N			AIR COMPRESSOR; S/N 201611100044
		300/177868.0001, GLYCOL	711	1	(2016)
701	1	REFRIGERANT (NEW 2019)	311	1	GARDNER DENVER MODEL
301	1	CONAIR MODEL S-GFD-090.ID/2X4 V-			XGNC500A400-FP REFRIGERATED
		SHAPED DRY COOLER; S/N 300/191031.0001, GLYCOL			AIR DRYER; S/N WCH1056290, R404A REFRIGERANT
		REFRIGERANT (NEW 2019)	312	1	GREAT LAKES AIR MODEL GTX-125A-
302	1	MUELLER MODEL AT80-ICLB-150	312	1	116 REFRIGERATED AIR DRYER; S/N
302	ı	PLATE TYPE HEAT EXCHANGER; S/N			51210, R134A REFRIGERANT
		1718823-01, WITH CTS-6 MESH	313	1	200 GALLON AIR TANK
		FILTER, (2) 40 HP PUMPS, 2,100	314	1	660 GALLON AIR TANK
		GALLON POLY TANK (NEW 2018)	315	1	6,000 LB. HYSTER MODEL S60FT
303	1	SKID MOUNT OIL PUMP SYSTEM, (2)	010	•	FORTIS LP GAS CUSHION TIRE
000	•	10 HP NETZSCH IFD-STRATOR 2.2			THREE-STAGE MAST LIFT TRUCK;
		PROGRESSING CAVITY PUMPS,			S/N H187V06194P, 181.9" MAX LIFT
		CONTROL			HEIGHT, 84" MAST HEIGHT, 42"
304	1	CONAIR MODEL PD20-20 SKID			FORKS, FINGER TIP CONTROLS,
		MOUNT GLYCOL PUMP SYSTEM; S/N			HYSTER TRACKER SYSTEM
		30861011909, (2) 20 HP PUMPS,			SIDESHIFT, 2,874 HOURS SHOWING 1-
		CONTROL (NEW 2019)			18-25 **SPECIAL NOTICE - NO LP
305	1	SYNERGY MODEL BCF-8-4040AS			TANK - PROPERTY OF PROPANE CO**
		REVERSE OSMOSIS SYSTEM; S/N	316	1	6,000 LB. CAPACITY HYSTER MODEL
		17090260.001, WITH TANKS			560FT FORTIS LP GAS CUSHION TIRE
306	1	OVERALL LOTS 298 - 305 COMPLETE			THREE-STAGE MAST LIFT TRUCK;
		CHILLER SYSTEM, W/ CHILLERS,			S/N H187V06173P, 181.9" MAX LIFT
		TANKS, PUMPS, COOLERS			HEIGHT, 84" MAST HEIGHT, 42"
306A	1	SYNERGY MODEL BCF-8-4040AS			FORKS, FINGER TIP CONTROLS,
		REVERSE OSMOSIS SYSTEM; S/N			HYSTER TRACKER SYSTEM,
		17100265.001, WITH TANK			SIDESHIFT, 4,308 HOURS SHOWING 1-
307	1	GPI MODEL M60MD LOW PROFILE			17-25 **SPECIAL NOTICE - NO LP
		VERTICAL HYDRAULIC BALER; S/N			TANK - PROPERTY OF PROPANE CO**
		60134MD			

Equipment Located at: 441 S. Sheep Lane

Grantsville, Utah 84029

Auction Date: February 13, 2025

		authenticity, description, weight, count, or i	measure o	f any of	the lots specified herein.
Lot	Qty.	Description	Lot	Qty.	Description
317	1	6,000 LB. CAPACITY HYSTER MODEL	321	1	1/2 TON GROBEL ELECTRIC BRIDGE
		S60FT FORTIS LP GAS CUSHION TIRE			CRANE WITH 1/2 TON GORBEL CHAIN
		THREE-STAGE MAST LIFT TRUCK;			HOIST, 134" SPAN, PENDANT (JUST
		S/N H187V06192P, 181.9" MAX LIFT			BRIDGE - NO UPRIGHTS)
		HEIGHT, 84" MAST HEIGHT, 42"	322	1	1/2 TON GROBEL ELECTRIC BRIDGE
		FORKS, FINGER TIP CONTROLS,			CRANE WITH 1/2 TON GORBEL CHAIN
		HYSTER TRACKER SYSTEM, SIDE			HOIST, 72" SPAN, PENDANT (JUST
		SHIFT, 5,056 HOURS SHOWING 1-17-			BRIDGE - NO UPRIGHTS)
		25 **SPECIAL NOTICE - NO LP TANK -	323	1	610 TON POWER JET MODEL BJ560-
		PROPERTY OF PROPANE CO**			S6 PLASTIC INJECTION MOLDING
318	1	6,000 LB. CAPACITY HYSTER MODEL			MACHINE, 300MM MIN MOLD, 800MM
		S60FT FORTIS LP GAS CUSHION TIRE			MAX MOLD HEIGHT, 860MM MAX
		THREE-STAGE MAST LIFT TRUCK;			OPEN STROKE, 860MM X 860MM
		S/N H187V06199P, 181.9" MAX LIFT			BETWEEN TIE BARS, POWER JET
		HEIGHT, 84" MAST HEIGHT, 42"			DRO, CONTROL PANEL
		FORKS, FINGER TIP CONTROL,	324	1	610 TON POWER JET MODEL BJ560-
		HYSTER TRACKER SYSTEM, SIDE			S6 PLASTIC INJECTION MOLDING
		SHIFT, 15,540 HOURS SHOWING 1-17-			MACHINE, 300MM MIN MOLD, 800MM
		25 **SPECIAL NOTICE - NO LP TANK -			MAX MOLD HEIGHT, 860MM MAX
740		PROPERTY OF PROPANE CO**			OPEN STROKE, 860MM X 860MM
319	1	6,000 LB. UNKNOWN BRAND LM-			BETWEEN TIE BARS, POWER JET
		EBT-6K TELESCOPING LIFT TRUCK		_	DRO, CONTROL PANEL
740.		TYPE BOOM, 144" MAX REACH	325	1	610 TON POWER JET MODEL BJ560-
319A	1	64" X 44" SACKETT MODEL CS21-3			S6 PLASTIC INJECTION MOLDING
		LIFT TRUCK BATTERY STAND; S/N			MACHINE, 300MM MIN MOLD, 800MM
7100	1	20211770, 5,000 LB. CAPACITY			MAX MOLD HEIGHT, 860MM MAX
319B	1	36 VOLT GNB MODEL GTCII180865TI			OPEN STROKE, 860MM X 860MM
		FERROCHARGER BATTERY			BETWEEN TIE BARS, POWER JET
700	1	CHARGER; S/N AA82200025	700	1	DRO, CONTROL PANEL
320	ı	5 TON X 35' (APPROX.) SPAN X 150"	326	1	DRI-AIR MODEL ARID-X-100PDII AIR
		(APPROX.) LONG AMERICAN			DRYER WITH (2) RECEIVING
		EQUIPMENT FREE-STANDING SINGLE	707	1	HOPPERS; S/N DS652 DRI-AIR MODEL ARID-X 35PDII AIR
		GIRDER OVERHEAD BRIDGE CRANE; S/N 36770, R&M BOTTOM RUNNING	327	1	DRYER WITH (2) RECEIVING
		CABLE HOIST, REMOTE AND			HOPPERS; S/N D8651
		PENDANT CONTROL, FULL BOLT	700	0	CONAIR MODEL TW-V THEMOLATOR
		TOGETHER STRUCTURE, 17' UNDER	328	2	TEMPERATURE CONTROLLERS; S/N
		•			·
		HOOK, 21'(APPROX.)OVERALL HEIGHT (2019)	329	1	398213 AND 398216, WITH STAND CONAIR MODEL TW-V THEMOLATOR
			328	ı	TEMPERATURE CONTROLLER; S/N
					398214 - NO STAND
					720714 - INO 91 VIND



Equipment Located at: 441 S. Sheep Lane

Grantsville, Utah 84029

Auction Date: February 13, 2025

Lot	O+v	Description	Lot	Qty.	·
330	Oty.	CONAIR MODEL TW-V THEMOLATOR	342	<u> </u>	6 CUBIC FOOT MARION MODEL BPC-
000	'	TEMPERATURE CONTROLLER; S/N	072	'	42-72-UR9 HORIZONTAL RIBBON
		405803 WITH STAND			BLENDER; S/N 20016 (NEW 2020)
331	1	CONAIR MODEL TW-V THEMOLATOR	343	1	HAPMAN SUPER SACK LOADING
331		TEMPERATURE CONTROLLER; S/N	040	!	SYSTEM WITH 2 TON HARRINGTON
		399338 WITH STAND			HOIST AND TROLLEY, 3' X 3' FEED
332	1	CONAIR MODEL TW-V THEMOLATOR			HOPPER, 1.5 HP AND 2 TON
332	ı	TEMPERATURE CONTROLLER; S/N			HARRINGTON ELECTRIC CABLE
		406694 WITH STAND			HOIST, 66" WIDE X 67" DEEP X 217"
777	1				
333	1	CONAIR MODEL TW-V THEMOLATOR	7//	1	HIGH OVERALL DIMENSIONS
		TEMPERATURE CONTROLLER; S/N	344	1	HAPMAN SUPER SACK LOADING
77/	1	406449 WITH STAND			SYSTEM WITH 2 TON HARRINGTON
334	1	CONAIR MODEL TW-V THEMOLATOR			HOIST AND TROLLEY, WITH 3' X 3'
		TEMPERATURE CONTROLLER; S/N			FEED HOPPER, 1.5 HP AND 2 TON
775	1	405802 WITH STAND			HARRINGTON ELECTRIC CABLE
335	1	CONAIR MODEL TW-V THEMOLATOR			HOIST, 66" WIDE X 67" DEEP X 217"
		TEMPERATURE CONTROLLER; S/N	7/5	1	HIGH OVERALL DIMENSIONS
770		406695 WITH STAND	345	1	HAPMAN SMALL BAG DUMP STATION
336	1	CONAIR MODEL TW-V THEMOLATOR	7.40		WITH 36" X 36" FEED HOPPER, 2 HP
		TEMPERATURE CONTROLLER; S/N	346	1	HAPMAN SMALL BAG DUMP STATION
	_	406690 WITH STAND		_	WITH 36" X 36" FEED HOPPER, 2 HP
337	1	CONAIR MODEL TW-P THEMOLATOR	347	1	112" X 40" X 12" HIGH STEEL
		TEMPERATURE CONTROLLER; S/N	7.40		PLATFORM
770	1	423448 WITH STAND	348	1	CONTROL CABINET WITH ALLEN
338	1	CONAIR MODEL TW-P THEMOLATOR	7/0	1	BRADLEY PANELVIEW PLUS PLC
		TEMPERATURE CONTROLLER; S/N	349	1	OVERALL LOTS 341 - 348 SUPER
770	1	423449 WITH STAND	750	1	SACK LOADING SYSTEM
339	1	CONAIR MODEL TW-P THEMOLATOR	350	1	APPROX. 10 CU. YD 50 HP SKID
		TEMPERATURE CONTROLLER; S/N			MOUNTED HYDRAULIC MIXER
7/0	1	423446 WITH STAND			(CONCRETE TRUCK STYLE), GENEVA
340	1	CONAIR MODEL TW-P THEMOLATOR			HYDRAULIC PUMP, PLC, ELECTRICAL
		TEMPERATURE CONTROLLER; S/N	751		BOX (NEW APPROX. 2019)
7/1		423447 WITH STAND	351	1	APPROX. 10 CU. YD 50 HP SKID
341	1	6 CUBIC FOOT MARION MODEL BPC-			MOUNTED HYDRAULIC MIXER
		42-72-UR9C STAINLESS STEEL			(CONCRETE TRUCK STYLE), GENEVA
		HORIZONTAL RIBBON BLENDER; S/N			HYDRAULIC PUMP, PLC, ELECTRICAL
		20017, WITH AGITATOR, HOPPER/			BOX (NEW APPROX. 2019)
		LOADER, (2) 8" DIAMETER AUGER			
		OFFLOAD CONVEYOR, STAND, PLC			
		(NEW 2010)			

Equipment Located at: 441 S. Sheep Lane

Grantsville, Utah 84029

Auction Date: February 13, 2025

	٥.	authenticity, description, weight, count, or r		•	·
Lot	Qty.	Description Security	Lot	Oty.	
352	1	APPROX. 10 CU. YD 50 HP SKID	361	1	12.5 CUBIC FOOT IMER WORKMAN II
		MOUNTED HYDRAULIC MIXER			350 ELECTRIC MULTI-MIXER
		(CONCRETE TRUCK STYLE), GENEVA			CONCRETE / MORTAR MIXER; S/N
		HYDRAULIC PUMP, PLC, ELECTRICAL			H009548182
		BOX (NEW APPROX. 2019)	362	1	12.5 CUBIC FOOT IMER WORKMAN II
353	1	APPROX. 10 CU. YD 50 HP SKID			350 ELECTRIC MULTI-MIXER
		MOUNTED HYDRAULIC MIXER			CONCRETE / MORTAR MIXER; S/N
		(CONCRETE TRUCK STYLE), GENEVA			H009548182 (2017)
		HYDRAULIC PUMP, PLC, ELECTRICAL	363	1	12.5 CUBIC FOOT IMER WORKMAN II
		BOX (NEW APPROX. 2019)			350 ELECTRIC MULTI-MIXER
354	1	APPROX. 10 CU. YD 50 HP SKID			CONCRETE / MORTAR MIXER; S/N
		MOUNTED HYDRAULIC MIXER			H009548180 (2017)
		(CONCRETE TRUCK STYLE), GENEVA	364	1	12.5 CUBIC FOOT IMER WORKMAN II
		HYDRAULIC PUMP, PLC, ELECTRICAL			350 ELECTRIC MULTI-MIXER
		BOX (NEW APPROX. 2019)			CONCRETE / MORTAR MIXER; S/N
355	1	APPROX. 10 CU. YD 50 HP SKID			000987428 (2012)
		MOUNTED HYDRAULIC MIXER	365	1	12.5 CUBIC FOOT IMER WORKMAN II
		(CONCRETE TRUCK STYLE), GENEVA			350 ELECTRIC MULTI-MIXER
		HYDRAULIC PUMP, PLC, ELECTRICAL			CONCRETE / MORTAR MIXER; S/N
		BOX (NEW APPROX. 2019)			H009556194 (2017)
356	1	APPROX. 10 CU. YD 50 HP SKID	366	1	12.5 CUBIC FOOT IMER WORKMAN II
000	•	MOUNTED MECHANICAL MIXER		•	350 ELECTRIC MULTI-MIXER
		(CONCRETE TRUCK STYLE),			CONCRETE / MORTAR MIXER; S/N
		CONTROL UNIT (NEW APPROX. 2019)			H009556203 (2017)
357	1	APPROX. 10 CU. YD 50 HP SKID	367	1	8' DIAMETER PORTABLE FRAME
007	•	MOUNTED MECHANICAL MIXER	007	'	MOUNT HAPMAN CONICAL HOPPER
		(CONCRETE TRUCK STYLE),			WITH 5" DIAMETER AUGER OFFLOAD
		CONTROL UNIT (NEW APPROX. 2019)			CONVEYORS, 11'(APPROX.)
358	1	APPROX. 10 CU. YD 50 HP SKID			DISCHARGE HEIGHT, CONTROL
330		MOUNTED MECHANICAL MIXER	368	1	8' DIAMETER PORTABLE FRAME
		(CONCRETE TRUCK STYLE),	300	ı	MOUNT HAPMAN CONICAL HOPPER
		CONTROL UNIT (NEW APPROX. 2019)			WITH 5" DIAMETER AUGER OFFLOAD
7 E0	1	50 HP MARATHON MODEL			
359	1				CONVEYORS, 11'(APPROX.)
		4VJ326THFPA8038ABL BLUE MAX	700	1	DISCHARGE HEIGHT, CONTROL
		MOTOR (BACK UP MOTOR FOR	369	1	8' DIAMETER PORTABLE FRAME
700	1	MIXERS)(NEW)			MOUNT HAPMAN CONICAL HOPPER
360	1	50 HP MARATHON MODEL			WITH 5" DIAMETER AUGER OFFLOAD
		4VJ326THFPA8038ABL BLUE MAX			CONVEYORS, 11'(APPROX.)
		MOTOR (BACK UP MOTOR FOR			DISCHARGE HEIGHT, CONTROL
		MIXERS)(NEW)			



Equipment Located at: 441 S. Sheep Lane

Grantsville, Utah 84029

Auction Date: February 13, 2025

	•	authenticity, description, weight, count, or i		•	·
Lot	Oty.	Description	Lot	Oty.	
370	1	8' DIAMETER PORTABLE FRAME	379	1	48" X 48" FRAME MOUNT HOPPER
		MOUNT HAPMAN CONICAL HOPPER			WITH 5" AUGER OFFLOAD
		WITH 5" DIAMETER AUGER OFFLOAD			CONVEYOR, 11' (APPROX.) DISCHARGE
		CONVEYORS, 11'(APPROX.)			HEIGHT
		DISCHARGE HEIGHT, CONTROL	380	2	6" DIAMETER X 174" LONG AUGER
371	1	8' DIAMETER PORTABLE FRAME			CONVEYOR WITH CASING
		MOUNT HAPMAN CONICAL HOPPER	381	1	(LOT)(2)6" AND(2)4"
		WITH 5" DIAMETER AUGER OFFLOAD			MISCELLANEOUS AUGER
		CONVEYORS, 11'(APPROX.)			CONVEYORS
		DISCHARGE HEIGHT, CONTROL	382	1	200MM (7.8") QINGDAO XINQUAN
372	1	8' DIAMETER PORTABLE FRAME			MODEL SJ-200X38 SINGLE SCREW
		MOUNT HAPMAN CONICAL HOPPER			EXTRUDER, 38:1 L/D, AIR COOLED
		WITH 5" DIAMETER AUGER OFFLOAD			BARREL, 300 HP MOTOR, (2)
		CONVEYORS, 11'(APPROX.)			ELECTRIC CABINETS, (1) FOR AC
		DISCHARGE HEIGHT, CONTROL			MOTOR DRIVE AND (1) FOR HEAT
373	1	48" DIAMETER PORTABLE FRAME			PANEL, NO PLC NEEDS HMI
		MOUNT HAPMAN HOPPER WITH 5"	383	1	200MM (7.8") QINGDAO XINQUAN
		DIAMETER AUGER OFFLOAD			MODEL SJ-200X38 SINGLE SCREW
		CONVEYOR, 11' (APPROX.) DISCHARGE			EXTRUDER, 38:1 L/D, AIR COOLED
		HEIGHT, CONTROL			BARREL, 300 HP MOTOR, (2)
374	1	48" DIAMETER PORTABLE FRAME			ELECTRIC CABINETS, (1) FOR AC
		MOUNT HOPPER, WITH 6" AUGER			MOTOR DRIVE AND (1) FOR HEAT
		OFFLOAD CONVEYOR, 11' (APPROX.)			PANEL, NO PLC NEEDS HMI
		DISCHARGE HEIGHT, 5 HP	384	1	200MM (7.8") QINGDAO XINQUAN
375	1	48" DIAMETER PORTABLE FRAME			MODEL SJ-200X38 SINGLE SCREW
		MOUNT HOPPER, WITH 6" AUGER			EXTRUDER, 38:1 L/D, AIR COOLED
		OFFLOAD CONVEYOR, 11' (APPROX.)			BARREL, 300 HP MOTOR, (2)
		DISCHARGE HEIGHT, 5 HP			ELECTRIC CABINETS, (1) FOR AC
376	1	48" DIAMETER PORTABLE FRAME			MOTOR DRIVE AND (1) FOR HEAT
		MOUNT HOPPER, WITH 6" AUGER			PANEL, NO PLC NEEDS HMI
		OFFLOAD CONVEYOR, 11' (APPROX.)	385	1	200MM (7.8") QINGDAO XINQUAN
		DISCHARGE HEIGHT, 5 HP			MODEL SJ-200X38 SINGLE SCREW
377	1	48" DIAMETER PORTABLE FRAME			EXTRUDER, 38:1 L/D, AIR COOLED
		MOUNT HOPPER, WITH 6" AUGER			BARREL, 450 KW MOTOR, (1)
		OFFLOAD CONVEYOR, 11' (APPROX.)			ELECTRIC CABINET W/ ABB DCS800
		DISCHARGE HEIGHT, 5 HP			DRIVE AND HEAT PANEL , NO PLC
378	1	48" DIAMETER PORTABLE FRAME			NEEDS HMI (NEW 2016)
0,0	•	MOUNT HOPPER, WITH 6" AUGER			
		OFFLOAD CONVEYOR, 11' (APPROX.)			
		DISCHARGE HEIGHT, 5 HP			
		DISSTINITOL HEIGHT / OTH			



Equipment Located at: 441 S. Sheep Lane

Grantsville, Utah 84029

Auction Date: February 13, 2025

	٥.	authenticity, description, weight, count, or		•	·
Lot	Oty.	Description	Lot	Oty.	
386	I	200MM (7.8") QINGDAO XINQUAN	396	I	53.3 KW POWERJET MODEL
		MODEL SJ-200X38 SINGLE SCREW			PJM2531816F03 AC SERVO MOTOR
		EXTRUDER, 38:1 L/D, AIR COOLED			(NEW)
		BARREL, 450 KW MOTOR, (1)	397	1	SUMITOMO MODEL QT62-125F-BP-Z
		ELECTRIC CABINET W/ ABB DCS800			GEAR PUMP (NEW)
		DRIVE AND HEAT PANEL, NO PLC	398	1	TECHMATION MODEL 890-EI-1250-
		NEEDS HMI (NEW 2016)			RK2-C601 HYDRAULIC GAER PUMP
387	1	200MM (7.8") QINGDAO XINQUAN			(NEW)
		MODEL SJ-200X38 SINGLE SCREW	399	1	EXTRUDER SLEEVE (NEW)
		EXTRUDER, 38:1 L/D, AIR COOLED	400	1	EXTRUDER SHOPPER BARREL (NEW)
		BARREL, NO DRIVE MOTOR	401	1	6" X 90" WONGERGEL, LLC
388	1	PSI-POLYMER SYSTEMS, INC. MODEL			EXTRUDER SCREW AND BARREL SET
		CSC-116LV HYDRAULIC SCREEN	402	1	NVENT HOFFMAN 3-DOOR ELECTRIC
		CHANGER WITH 3 HP HYDRAULIC			PANEL
		UNIT	403	1	NVENT HOFFMAN 3-DOOR ELECTRIC
389	1	PSI-POLYMER SYSTEMS, INC. MODEL			PANEL
		CSC-116LV HYDRAULIC SCREEN	404	1	NVENT HOFFMAN 3-DOOR ELECTRIC
		CHANGER WITH 3 HP HYDRAULIC			PANEL
		UNIT	405	1	SCE 2-DOOR ELECTRIC PANEL
390	1	PSI-POLYMER SYSTEMS, INC. MODEL	406	1	SCE 3-DOOR ELECTRIC PANEL
		CSC-116LV HYDRAULIC SCREEN	406A	1	HYDRAULIC SYSTEM W/(3)75-HP
		CHANGER WITH 3 HP HYDRAULIC			PUMPS, SKID MOUNT WITH CONTROL
		UNIT			AND TANK - Example photo, all are
391	1	PSI-POLYMER SYSTEMS, INC. MODEL			very similar, email jeffjr@cia-
		CSC-116LV HYDRAULIC SCREEN			industrial.com with questions
		CHANGER WITH 3 HP HYDRAULIC	406B	1	HYDRAULIC SYSTEM W/ (3) 75-HP
		UNIT			PUMPS, SKID MOUNT WITH CONTROL
392	1	PSI-POLYMER SYSTEMS, INC. MODEL			AND TANK - Example photo, all are
	·	CSC-116LV HYDRAULIC SCREEN			very similar, email jeffjr@cia-
		CHANGER WITH 3 HP HYDRAULIC			industrial.com with questions
		UNIT	406C	1	HYDRAULIC SYSTEM W/ (3) 75-HP
393	1	PSI-POLYMER SYSTEMS, INC. MODEL	1000	•	PUMPS, SKID MOUNT WITH CONTROL
000	'	CSC-116LV HYDRAULIC SCREEN			AND TANK - Example photo, all are
		CHANGER WITH 3 HP HYDRAULIC			very similar, email jeffjr@cia-
		UNIT			industrial.com with questions
394	1	GUOMAO TYPE ZLYJ560H-23MI-	406D	1	HYDRAULIC SYSTEM W/ (3) 75-HP
J3 4	1	19090143 GEAR DRIVE REDUCER; S/N	4000	I	PUMPS, SKID MOUNT WITH CONTROL
7 0E	1	SN1009411(NEW)			AND TANK - Example photo, all are
395	1	GUOMAO TYPE ZLYJ560H-23MI-			very similar, email jeffjr@cia-
		19090143 GEAR DRIVE REDUCER; S/N			industrial.com with questions
		SN1009414 (NEW)			



Equipment Located at: 441 S. Sheep Lane

Grantsville, Utah 84029

Auction Date: February 13, 2025

Lot	Qty.	Description	Lot	Qty.	·
406E	1	HYDRAULIC SYSTEM W/(3)75-HP	416	1	20" X 170" LEBLOND 20" MEDIUM
1002	·	PUMPS, SKID MOUNT WITH CONTROL	110	•	ENGINE LATHE, 18" 4-JAW CHUCK,
		AND TANK - Example photo, all are			TAILSTOCK, STEADY REST, SPINDLE
		very similar, email jeffjr@cia-			SPEED 16-1,010 RPM, 18" 3-JAW
		industrial.com with questions			CHUCK
406F	1	HYDRAULIC SYSTEM W/ (3) 75-HP	417	1	QUICK RELEASE TOOL HOLDER
400	ı	PUMPS, SKID MOUNT WITH CONTROL		1	2019 - HAAS MODEL VF-9/40 CNC
		•	418	I	
		AND TANK - Example photo, all are			VERTICAL MACHINING CENTER; S/N
		very similar, email jeffjr@cia-			1168342, APPROX. 1,800 CUTTING
		industrial.com with questions			HOURS, SEE PICS FOR INSTALLED
407	1	200 HP RAPID MODEL 600-90			OPTIONS, HAAS CNC CONTROL, 36" X
		PLASTIC GRANULATOR; S/N			84" TABLE, 84" X-AXIS, 40" Y-AXIS,
		700.501168.10.1, WITH FEED HOPPER			30" Z-AXIS, 4" MIN. – 34" MAX.
		AND 52" RAISED BASE (NEW, NEVER			SPINDLE NOSE TO TABLE, SPINDLE
		INSTALLED)			SPEEDS TO 10,000 RPM, CAT 40
408	1	DELETE			SPINDLE, 30-POS. ATC., COOLANT,
409	1	200 HP RAPID MODEL 600-90			AUGER CHIP CONVEYOR, RENISHAW
		PLASTIC GRANULATOR; S/N RA-			PROBE (NEW 2019)
		700.180072.10.1, CONTROLS (2018)	418A	1	RENISHAW MP11 PROBE WITH TAPER
409A	1	200 HP TOSHIBA MODEL			40 TOOLHOLDER; S/N E69958
		B2004FLF4BSH01M0TOR(NEW)-	419	1	FADAL MODEL VMC6030HT CNC VMC;
		BACK UP MOTOR FOR RAPID 600-90			S/N 9510086, 30" X 62.5" TABLE, 60"
		GRANULATOR			X-AXIS, 30" Y-AXIS, 30" Z-AXIS, 4,000
410	1	60 HP WEIMA MODEL WMS-1000-			LB. MAX. TABLE CAP., 5.5" – 35.5"
		HYDRO SINGLE SHAFT HYDRAULIC			SPINDLE NOSE TO TABLE, NO. 40
		SHREDDER; S/N 510-3020, PLC			TAPER, 21-POS. ATC, COOLANT (1995)
		CONTROL, 45 KW HYDRAULIC	420	1	FADAL MODEL VMC6030HT CNC VMC;
		SYSTEM (NEW 2019)			S/N 9109596, 30" X 62.5" TABLE, 60"
411	1	55 KW BEION SINGLE SHAFT			X-AXIS, 30" Y-AXIS, 30" Z-AXIS, 4,000
		SHREDDER WITH CONTROL AND 32"			LB. MAX. TABLE CAP., 5.5" - 35.5"
		BELT CONVEYOR			SPINDLE NOSE TO TABLE, NO. 40
412	1	2,000 LB. VESTIL MODEL HBD-2-48			TAPER, 21-POS. ATC, COOLANT (1991)
	-	HYDRAULIC GAYLORD DUMPER WITH	421	1	FADAL MODEL VMC15RT CNC VMC;
		STAND		•	S/N 9402593, 88HS CONTROL, 16" X
413	1	30" X 18' HYTROL RUBBER BELT			30" TABLE, 20" X-AXIS, 16" Y-AXIS, 24"
110		INCLINE CONVEYOR WITH CONTROL			Z-AXIS, NO. 40 TAPER, 21-POS. ATC,
414	1	8" HAPMAN AUGER OFFLOAD			COOLANT (1994)
717	'	CONVEYOR WITH CONTROL	422	11	40 TAPER TOOLHOLDERS
415	1	5,000 LB. X 5' X 5' OHAUS MODEL	423	11	40 TAPER TOOLHOLDERS
410	ı	DEFENDER 3000 PLATFORM SCALE	423 424	11	40 TAPER TOOLHOLDERS
		DELENDER JOUG FLATFURIT JUALE			
			425	11	40 TAPER TOOLHOLDERS



Equipment Located at: 441 S. Sheep Lane

Grantsville, Utah 84029

Auction Date: February 13, 2025

	0.	authenticity, description, weight, count, or r			·
Lot	Oty.	Description	Lot	Oty.	
426	ı	2021 - HAAS MODEL ST-15 TWO-AXIS	429	1	2011 - MIGHTY VIPER MODEL PRO-
		CNC LATHE; S/N 3122567, APPROX.			3210AG BRIDGE TYPE THREE-AXIS
		140 CUTTING HOURS, NO TAILSTOCK,			CNC MACHINING CENTER; S/N
		HAAS CNC CONTROL, 8" CHUCK, 16.5"			015904, FANUC Al300 CNC CONTROL,
		MAX. SWING, 12" MAX. CUT DIA., 2.5"			120" X-AXIS, 82.6" Y-AXIS, 42" Z-AXIS,
		BAR CAP., 7.88" X-AXIS, 16" Z-AXIS,			91" DIST. BET. COLUMNS, 80" X 120"
		12-POS. TURRET, CHIP CONVEYOR,			TABLE, 18,000 LBS. MAX. TABLE
	1	COOLANT (NEW 9/2021)			LOAD, SPINDLE SPEED TO 6,000
427	1	HARDINGE MODEL CHNC-1 CNC			RPM, NO. 50 TAPER, 60-POS. ATC,
		CHUCKER LATHE; S/N CN-2623-S, 8-			DUAL AUGER CONVEYORS ALONG
		POSITION TURRET, COLLET CHUCK,			TABLE, HIGH PRESSURE COOLANT,
		SIEMEN SINUMERIK CONTROL			APPROX. FOOTPRINT 28' X 17' X 14' X
428	1	2015 - AWEA MODEL LP-4025YZF			70,000 LBS. (NEW 2011)
		BRIDGE TYPE 5-FACE CNC	429A	1	97" X 80" X 3" THICK ALUMINUM
		MACHINING CENTER; S/N 152556,		_	DRILLED AND TAPPED SUB PLATE
		APPROX. 1,400 CUTTING HOURS,	429B	1	RIGHT ANGLE MACHINING HEAD
		FANUC SERIES 31I-MODEL B CNC	429C	1	TROYKE MODEL DL-16.5B 4TH AXIS
		CONTROL, 4TH/5TH AXIS HEAD W/			INDEXER WITH TAILSTOCK; S/N
		AUTO HEAD CHANGER, 4,000-MM X-			6159-1
		AXIS, 3,200-MM Y-AXIS, 1,000-MM Z-	430	36	50 TAPER TOOLHOLDERS WITH
		AXIS, 2,700-MM DIST. BET.			HUOT TOOLSCOOT CART
		COLUMNS, 4,020-MM X 2,400-MM	431	36	50 TAPER TOOLHOLDERS WITH
		TABLE, 15,000 KG MAX. TABLE LOAD,			HUOT TOOLSCOOT CART
		SPINDLE SPEED TO 6,000 RPM, NO.	432	9	TAPER 50 TOOLHOLDERS
		50 TAPER, 60-POS. ATC, DUAL	433	1	48" X 24" LIGHTED STEEL WORK
		AUGER CONVEYORS ALONG TABLE,			BENCH
		HIGH PRESSURE COOLANT, APPROX.	434	1	1/2 TON X 20' ARM GORBEL MODEL
		FOOTPRINT 35' X 18' X 13' X 100,000			FS300 FREE STANDING JIB CRANE
		LBS. (NEW 2015)			WITH 1/2 TON COFFICE ELECTRIC
428A	1	140" X 94" X 3" THICK ALUMINUM			CHAIN HOIST, 15' UNDER ARM
		DRILLED AND TAPPED SUB PLATE	435	1	1/4 CUBIC YARD ESTIL MODEL P-
					HOP-0.5 PORTABLE STEEL HOPPER,
					2,000 LB. CAPACITY
			436	1	1/4 CUBIC YARD ESTIL MODEL P-
					HOP-0.5 PORTABLE STEEL HOPPER,
					2,000 LB. CAPACITY
			437	1	1/4 CUBIC YARD ESTIL MODEL P-
					HOP-0.5 PORTABLE STEEL HOPPER,
					2,000 LB. CAPACITY
			438	1	1/4 CUBIC YARD MECO DUMP
					HOPPER, 6,000 LB. CAPACITY



Equipment Located at: 441 S. Sheep Lane

Grantsville, Utah 84029

Auction Date: February 13, 2025

Lot	Qty.	Description	Lot	Qty.	Description
439	1	PORTABLE DUMP HOPPER	458	1	(LOT) DRILLS
440	1	6" KURT VISE	459	1	(LOT) DRILLS
441	1	6" KURT VISE	460	1	(LOT)TAPS
442	1	6" KURT VISE	461	1	(LOT)COLLETS
443	1	6" KURT VISE	462	1	7-DRAWER KENNEDY TOOLBOX WITH
444	1	6" KURT VISE			CARBIDE END MILLS, STANDARD
445	1	6" KURT VISE			END MILLS, DRILLS, TAPS, SAW
446	1	6" KURT VISE			BLADES
447	1	6" KURT VISE	463	1	JET BLACK SAFETY ELECTRIC
448	1	6" PALGREN VISE			BLOWER
449	1	6" PALGREN VISE	464	1	JET BLACK SAFETY ELECTRIC
450	1	6" PALGREN VISE			BLOWER
451	1	6" PALGREN VISE	465	1	(LOT) HOLD DOWNS
452	1	6" MACHINE VISE	466	1	(LOT) TAILSTOCK, STEADY REST, 8"
453	1	SPI MODEL 21-911-3 3-POINT HOLE			4-JAW CHUCK
		MIKE	467	1	72" X 24" X 78" STEEL RACK
454	1	96" X 48" HD STEEL WELDING TABLE	468	1	2-DOOR STEEL CABINET WITH
		WITH 6-1/2" VISE			CONTENTS
455	1	(LOT) CARBIDE END MILLS AND	469	1	2-DOOR STEEL CABINET WITH
		INSERTS			CONTENTS
456	1	(LOT) DRILLS	470	1	2-DOOR STEEL CABINET WITH
457	1	(LOT) DRILLS			CONTENTS